STATE OF SOUTH DAKOTA

OCT 2 1 2004

SOUTH DAKOTA PUBLI SOUTH DAKOTA ONE CALL NOTIFICATION BOTTLES COMMISSION

IN THE MATTER OF THE COMPLAINT FILED BY MONTANA-DAKOTA UTILITY CO. AGAINST WESLEY JOHNSON REGARDING FAILURE TO PROVIDE NOTIFICATION OF PROPOSED EXCAVATION AS REQUIRED BY SDCL 49-7A-5 AND A FAILURE TO PROPERLY EXPOSE A MARKED UNDERGROUND UTILITY LINE AS REQUIRED BY SDCL 49-7A-8

OC04-003

Transcript of Proceedings September 15, 2004

BEFORE THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD, Rolayne Ailts Wiest, Attorney Kevin Kouba, Chairman Terry Larson, Member Steve Lehner, Member Todd Chambers, Member Gene Solseth, Member Pat Gilligan, Member Paul Lowe, Member Doug Larson, Member Jerry Schroeder, Member



APPEARANCES

THOMAS M. FRITZ,

Ed Anderson, Member

LYNN, JACKSON, SHULTZ & LEBRUN, Attorneys at Law, P.O. Box 8250, Rapid City, South Dakota 57709-8250, appearing on behalf Montana-Dakota Utility Company;

WESLEY JOHNSON, appearing pro se.

Larry Englerth, Executive Director

Reported By Cheri McComsey Wittler, RPR

M D

1	ompress STATE OF SOUTH DAP	OTA			3
2	STATE OF SOUTH DAR		חו	,	-
2	SOUTH DAROTA ONE CALL NOTIN	ICATION BOAR	Φ	1	CHAIRMAN KOUBA: 1'II begin the
3			====	2	hearing for Docket OCO4-003, In the matter of the
4	IN THE MATTER OF THE COMPLAINT FILES BY MONTANA-DAKOTA UTILITY CO. AGAIN			3	Complaint filed by Montana-Dakota Utility Company
5	WESLEY JOHNSON REGARDING FAILURE TO PROVIDE NOTIFICATION OF PROPOSED			4	against Wesley Johnson regarding failure to provide
6	EXCAVATION AS REQUIRED BY SDCL 49-7. AND A FAILURE TO PROPERLY EXPOSE A	A~5 (004-003	5	notification of proposed excavation as required by
7	MARKED UNDERGROUND UTILITY LINE AS			6	South Dakota Codified Law 49-7A-5 and a failure to
8	REQUIRED BY SDCL 49-7A-8			1 7	properly expose a marked underground utility line
9	Transcript of Proce	===== edings	====	8	as required by South Dakota Codified Law 49-7A-8.
10	September 15, 2	004		}	The time is approximately 1:10 p.m. The date
11	BEFORE THE SOUTH DAKOTA ONE CALL NO	TITTCATION B	nggn	10	is September 15, 2004, and the location of the
	Rolayne Ailts Wiest, Attorney	I I I I CAT I CA	orie,	1	· · · · · · · · · · · · · · · · · · ·
12	Kevin Kouba, Chairman Terry Larson, Member			11	hearing is Conference Room A, Holiday Inn Express,
13	Steve Lehner, Member Todd Chambers, Member			12	Ft. Pierre, South Dakota.
14	Gene Solseth, Member Pat Gilligan, Member			13	I am Kevin Kouba, Chairman of the South Dakota
15	Paul Lowe, Member Doug Larson, Member			14	One Call Board. Other Board members present are
16	Jerry Schroeder, Member			15	Jerry Schroeder; Golden West Telecommunications;
17	Ed Anderson, Member Larry Englerth, Executive Director			16	Todd Chambers, City of Pierre; Steve Lehner,
18	APPEARAN	CES		17	Northwestern Energy; Pat Gilligan, Brookings-Deuel
19	THOMAS M. FRITZ,			18	Rural Water, Doug Larson, Northern Border Pipeline;
20	LYNN, JACKSON, SHULTZ & I Attorneys at Law, P.O. Bo			19	Paul Lowe, Qwest; Gene Solseth, Hills Septic
l	Rapid City, South Dakota	57709-8250,		20	Service; Ed Anderson, South Dakota Rural Electric
21	appearing on behalf Monta Utility Company;	ina-Dakota		21	Association; Terry Larson, Heavy Constructors.
22	WESLEY JOHNSON,			22	l am presiding over this hearing. This
23	appearing pro se.			1	
24	Reported By Cheri McComsey Wittler	, RPR		23	hearing was noticed pursuant to the Board's Notice
25				24	of Hearing issued August 3, 2004. The issues at
Į.				25	this hearing shall be: 1, Whether Johnson violated
			2		
1	TRANSCRIPT OF PROCEEDINGS,			1 1	SDCL 48-7A-5 by commencing excavation without
2	above-entitled matter, at the Holid	day Inn Expre	ess,	2	providing advanced notification to the One Call
3	Ft. Pierre, South Dakota, on the 1	5th day of Se	eptember	3	center and, number 2, whether Johnson violated SDC
4	2004, commencing at 1:10 p.m.			J J	,
5				T 7	49-7A-8 by failing to properly expose a marked
6	INDEX			5	underground utility line. Also at issue shall be
7	Witnesses Dir Cross	Redir	Recross	6	whether penalties shall be imposed by the Board
8	Jim Mann 6 18			7	pursuant to SDCL 49-7A-18 and/or 49-7A-19, and if
9	Josh Sanders 20 26 Scott Erhart 33 35	38		8	so, what those penalties shall be.
ł	Wesley Johnson 39 41			9	All parties have the right to be present and
10	Exhibit Nos. M	<u>o</u>	<u>R</u>	10	to be represented by an attorney. All persons so
11	1 - Complaint 2	14	15	11	testifying will be sworn in and subject to
12	2 - Findings 2	16	17	12	cross-examination by the parties. The Board's
13	3 - Acceptance by Jim Mann 2	16	17	13	final decision may be appealed by the parties to
14				14	the State Circuit Court and State Supreme Court.
15	4 - Rejection by Wesley Johnson 2	16	17	15	Rolayne Wiest will act as the Board's counsel.
16	5 - Notice of Hearing with			1	
17	attached certified mail receipt 2	17	18	16	She may provide recommended rulings on procedura
(•			17	and evidentiary matters. The Board may overrule
18	6 - Letter from One Call Board to Jim Mann and Wesley	. .		18	its counsel's preliminary rulings throughout the
19	Johnson dated 6-2-04 2	16	16	19	hearing. If not overruled, the preliminary rulings
20	7 - Notification of hearing from PUC 2	6	6	20	will become final rulings. I will now turn the
21		-	-	21	hearing over to Ms. Wiest.
22				22	MS. AILTS WIEST: At this time I
23				22 23	will take the appearances of the parties.
24				1	, , ,
~ '				24 25	Montana·Dakota Utilities. MR. FRITZ: My name is Tom Fritz
25					

Q And I'm going to show you what's marked as Exhibit 1.

25

record of a locate request.

	Case	Со	mpress			
	,		9	,		11
	1		We searched our own records. We keep copies	1		MS. AILTS WIEST: Can we stop for a
	2		of our locate tickets at our Montana-Dakota Utilities	2		moment. Are you Mr. Wesley Johnson?
	3		office. We had no record of it. And Mr. Johnson also	3		MR. JOHNSON: Yeah. I'm sorry. I'm
4	4		pretty much indicated that he had no locate ticket when	4		on mountain time. I just read that now. I'm
	5	_	our crews arrived to repair the line.	5		sorry.
	6	Q	When you indicate that Mr. Johnson pretty much has	6		MS. AILTS WIEST: We have started
	7		indicated, the last page of Exhibit 1 is a handwritten	7		with MDU's first witness and I would like to just
	8		letter from Mr. Wesley Johnson of CreateAScape	8		take a moment and explain something to you. MDU
	9		landscaping in Rapid City addressed to Dakota One Call	9		will go first with their witnesses. And that's
	10		Notification Board.	10		Mr. Fritz. That's their attorney. When they're
	11		Have you seen this before?	11		done asking questions then you may ask any
	12	A	Yes, I have.	12		questions of the witness and after that the Board
	13	Q	And that's Mr. Johnson's letter of May 21, 2004?	13		may ask questions of the witness and then when
	14	A	Correct.	14		they're done with their witnesses then you may take
	15	Q	In that letter he indicates that this Complaint is	15		the witness stand and make whatever statements that
	16	•	nonsense and just read to the Board what the next	16		you would like to make.
	17		sentence is, do you see that, "Locates"?	17		Do you have any questions or anything?
	18	A	Yes. "Locates were called in by the homeowner earlier	18		MR. JOHNSON: (Witness shakes head)
	19	•	that month."	19		MS. AILTS WIEST: And this is an
	20	Q	Any indication from Mr. Johnson if in fact he made any	20		exhibit that's been admitted that you received
	21	*	calls or any notifications?	21		notification, and that's been admitted. And the
	22	A	No.	22		other exhibit that has been marked is Exhibit 1,
	23	Q	Have you had any other conversations with Mr. Johnson?	23		which is the Complaint. Okay.
	24	A	No. I had the one telephone conversation with him	24		MR. JOHNSON: Do I have copies of
	25	^	during which he hung up on me. That's when I was	25		them?
	20			-		
			10			12 MC AU TO WIFOT: Do you have a series
	1		concerned that these kind of excavation practices were	1		MS. AILTS WIEST: Do you have copies
	2		going to continue.	2		of any of this?
	3	Q	Going back to Exhibit 1, did you fill this out?	3		MR. JOHNSON: Just this.
	4	A	Exhibit 1 would be the Complaint?	4		MS. AILTS WIEST: Do you have extra
	5	Q	Right.	5		copies of the Complaint? At this point if you
	6	A	Yes, I did.	6		could give him the Complaint.
	7	Q	And is that your signature on page 1?	7		(Mr. Englerth hands Mr. Johnson document)
	8	Α	Yes, it is.	8		MS. AILTS WIEST: Okay. You may
	9	Q	There's also a narrative description of what has taken	9		continue.
	10		place here. Is that the information you provided to	10		MR. FRITZ: Thank you.
	11		this Board?	11	Q	(BY MR. FRITZ) Attached to the Complaint is a document
	12	A	Yes, it is.	12		called Gas Service Order. Would you explain what that
	13	Q	Would you explain for the Board what the attachments	13		is, Mr. Mann?
	14		are to Exhibit 1? There is a report of damage. Is	14	A	That is part of the material order that we just looked
	15		that an in-house ··	15		at. It's all part of one service order. This one
	16	A	That's an in-house form we fill out when our property	16		details the labor and the equipment that was used to
	17		or our facilities are damaged. That's a damage report	17		make the repair.
	18		for this particular incident.	18	Q	And then attached are two statements; is that right?
	19	Q	The next page is what is identified as Gas Leak and	19	A	Two statements from our crew that went out to repair
	20	•	Repair Report, is, again, an in-house report?	20		the line.
	21	Α		21	Q	One by Mr. Josh Sanders who is here?
	22	••	have a gas leak.	22	Ā	Correct.
	23	Q		23	Q	And the other is by who?
	24	A	This is the actual service order that details the	24	Ā	Bill Gifford, our foreman for the crew.
	25	^	material we use to repair the line.	25	0	Now after the notification comes in that there's been a
	20		material we are to repair the line.	120	4	non alter the nethroatien comes in that there's pecil a

1	Case	Cc	mpress			
			13			15
	1		hit to your line, what does MDU do?	1		did say in here, too, that it wasn't located. But
	2	A	MDU sends a first responder. Many times that will be a	2		the homeowner insisted he called in the locates.
	3		serviceman. This particular incident we sent a	3		So I had the homeowner call in the locates. That's
	4	_	construction crew out.	4		how the locates got marked. We didn't begin work
	5	Q	Okay. And was Mr. Sanders part of that crew?	5		until after the locates were done.
	6	A	Yes, he was.	6		MS. AILTS WIEST: Okay. And then,
	7	Q	Did you ever go to the site yourself?	7		Mr. Johnson, when it's your turn to be the witness
	8	A	No, I didn't.	8		then you can put all of that evidence in on the
	9	Q	And Mr. Sanders comes back and reports to you then?	9		record.
	10	A	He reports to our construction supervisor who reports	10		MR. JOHNSON: Okay. Sorry about
	11		to me.	11		that.
	12	Q	Okay. And anyway, it's within your bailiwick or	12		MS. AILTS WIEST: At this point do
	13		jurisdiction at Montana-Dakota Utilities to file this	13		you have any objection to just the Complaint coming
	14		particular Complaint?	14		in? If not, the Complaint is admitted.
	15	A	Correct.	15	Q	(BY MR. FRITZ) From your experience then, Jim, after
	16	Q	Did you investigate this for MDU then?	16		the Complaint is filed is there a probable cause
	17	Α	Yes, I did.	17		hearing held?
	18	Q	And Mr. Sanders is here and will testify, but what did	18	A	Is there a probable cause
	19		your investigation reveal with regard to the violation	19	Q	Right. Were you aware of one?
	20		of SDCL 49-7A-8, which is the failure to hand dig at or	20	A	Yes. Yes, I am.
	21		near the gas line?	21	Q	And did you receive notification in June from
	22	A	Our investigation revealed that the line was clearly	22		South Dakota One Call Notification Board of their
	23		marked from a previously located request and	23		conclusions regarding that?
	24		Mr. Johnson had gone in with a Bobcat and skid steer	24	A	
	25		loader without hand digging to expose the line to see	25	Q	And is that Exhibit 6?
			14	 		16
	1		exactly where it was and in the process severed the	1	Α	
	2		line.	2		MR. FRITZ: We would offer Exhibit
	3	Q	Now for the Board you better explain you've	3		6, which Mr. Johnson apparently received too.
	4	•	indicated that there was no request to locate at this	4		MS. AILTS WIEST: Do you have any
	5		particular residence. Now you have indicated that the	5		objection to that coming in, Mr. Johnson?
	6		line had in fact been marked by some previous locate?	6		MR. JOHNSON: (Shakes head.)
	7	Α	At some point, probably not too long prior to the	7		MS. AILTS WIEST: No objection.
	8	•	incident, it had been located because the marks were	8		It's admitted.
	9		still clearly evident. Mr. Johnson did not call in for	9	Q	After the probable cause hearing, showing you what's
	10		a locate, though.	10	•	marked as Exhibits 2, 3, and 4, what are those,
	11	Q	And what did your investigation conclude again with	11		Mr. Mann, as you understand it?
	12	•	regard to the excavation?	12	A	The enforcement committee's action, Exhibit No. 2, was
	13	A	-	13	•	their findings. Exhibit No. 3 is my acceptance to
	14	•	expose the facility that was clearly marked.	14		OCO4-003B, part of the Complaint, and Exhibit 4 is my
	15	Q	and the second s	15		acceptance of ··
	16	Ā	. ,	16	Q	That's Mr. Johnson's?
	17		MR. FRITZ: We would offer Exhibit	17	Ā	Okay. That's his rejection.
	18		1.	18	Q	That's 4?
	19		MS. AILTS WIEST: Is there any	19	Ā	Right.
	20		objection to Exhibit 1, which is the Complaint?	20	.,	MR. FRITZ: We'd offer 2, 3, and 4.
	21		MR. JOHNSON: Which is this?	21		MS. AILTS WIEST: Do you have any
	22		MS. AILTS WIEST: Yes. It's the	22		objection, Mr. Johnson? I think those are
V	23		entire Complaint.	23		documents you should have received.
	24		MR. JOHNSON: Yeah. Well, my	24		MR. JOHNSON: What's this one?
	25		problem is he's saying we didn't hand dig it and it	25		MR. FRITZ: This is where Mr. Mann
	40		problem to the a paying we didn't halld dig it alld it			

	Case	Cor	npress			
ſ			17			19
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	Q A Q A Q A Q A Q A		1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	Q A Q A Q A	(BY MR. JOHNSON) Do you have any regulations on how deep they have to be at all? Yes, we do. What is it? 12 inches. Okay. And how do you know how deep the pipes were? We install the pipes at 12 inches. We have no control over landscaping or other changes that occur afterwards. Okay. If the pipe isn't 12 inches deep, what do you guys do about that?
	24		MR. JOHNSON: No.	24		above cause, testified under oath as follows:
	25		MS. AILTS WIEST: No objection.	25		
	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	Q A Q A Q		1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	Q A Q A Q A Q A Q	record, please. Josh Sanders. Josh, what is your occupation? I'm a gas fitter operator for Montana-Dakota Utilities. You work out of Rapid City? Yes, I do. Josh, attached to Exhibit 1 is a statement, I believe. Is that your statement with your signature on the bottom? Yes, it is. So as a fitter operator in the employ of Montana-Dakota Utilities company did you have some role in the investigation of this matter? We were the first construction crew on site or the only construction crew on site. We stopped the gas from blowing and repaired the line and observed the scene while we were there.
t may gave t	22 23 24 25		in. MR. JOHNSON: That's all the questions I got. Actually, I got one more. MS. AILTS WIEST: Go ahead.	22 23 24 25	A Q A	Yes. And you were part of the crew. Who else was with you? My foreman, Billy Gifford, and there was two servicemen there along with the Rapid City fire department.
		OIC	ION REPORTING 1 TD (605) 9	AE OF	72	Page 17 to Page 2

Q He was on site?

Yes, he was on site.

the exposed pipe, put on a squeezer and squeezed off

Now did you see Mr. Johnson there, the contractor?

the plastic pipe to stop the gas from blowing.

21

22

23

24

Q

21

22

23

24

25

There was a yellow mark leading away from the riser and

meter set. It was -- I don't know how far exactly from

the riser it was but it was 3 feet or so from the riser

occurred. It was a faint mark, an older mark, and the

and probably 3, 4, 5 feet from where the hit had

rect of the site had been disturbed so I didn't see if there was any other marks besides that one yellow mark near the riser. 4	Case	Cor	mpress			
there was any other marks besides that one yellow mark near the riser. Was it dovious to you that Mr. Johnson, either from your observation or else from the conversations you had with him, that the pipe had been hit with this siddler, this front-and loader? A The scene sure showed that that was how it was nit the Bobact was right there and Mr. Johnson also had said that he had hit it with his seld seer while he and the said that he had hit it with his seld seer while he and said that he had hit it with his seld seer while he and said that he had hit it with his seld seer while he and some property severed or a few firms of the pipe and leave the scene? A Completely sweed or and it he process we had to lower it just a little to a little to and the pipe and leave the scene? A Right. Yep. A Plant to write this statement and that was it. MR FRITZ: Thankyou. That's all the questions I have. CROSS-EXMINATION A Was and power and any output for the pipe and leave the scene? MR. ALITS WEST: Mr. Johnson, do A Was and the pipe and leave the scene? MR. ALITS WEST: Mr. Johnson, do A Was and the contrast of the pipe and leave the scene? MR. ALITS WEST: Mr. Johnson, do A Was and the pipe and leave the scene? MR. ALITS WEST: Mr. Johnson, do A Was and the pipe and leave the scene? MR. ALITS WEST: Mr. Johnson, do A Was and the pipe and leave the scene? MR. ALITS WEST: Mr. Johnson, do A Was and the pipe and leave the scene? MR. JOHNSON: That and the scene and the pipe and leave the scene? MR. JOHNSON: That all the pipe and leave the scene? MR. JOHNSON: That seed the pipe and leave the scene? MR. JOHNSON: That seed the pipe and leave the scene? MR. JOHNSON: That seed the pipe and leave the scene? MR. JOHNSON: That seed the pipe and leave the scene? MR. JOHNSON: That seed the pipe and leave the scene? MR. JOHNSON: That seed the pipe and leave the scene? MR. JOHNSON: That seed the pipe and leave the scene? MR. JOHNSON: That's all the pipe and leave the scene? MR. JOHNSON: That's all the pipe and leave			25			27
21 then? 22 A Just to write this statement and that was it. 23 MR. FRITZ: Thank you. That's all 24 the questions I have. 25 MS. AlLTS WIEST: Mr. Johnson, do 26 1 you have any questions? 27 28 28 29 20 3 MR. JOHNSON: Yeah. 3 CROSS-EXAMINATION 4 BY MR. JOHNSON: 5 Q You say in your statement here it was 3 or 4 feet 4 downstream from the line where it was cut in two on 5 both sides. Wouldn't that mean the pipes were flailing 8 in the wind? 9 A Uh-hut. 10 Q They weren't, were they? 11 A The upstream side was, that's how we got our squeeze around it, and the downstream side was exposed also. 13 Q Let me ask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house on word of the flair from dirt being removed from it. 19 When you got there, okay, and you had to bury your pipe 20 When you got there, okay, and you had to bury your pipe 21 A (Witness shakes head) 22 Vou said just it was 3 foot 23 MS. AlLTS WIEST: You'll have to 24 A I don't believe that, I mean, that's more than 3 feet from your house. 25 I don't believe that, I mean, that's more than 3 feet from your house. 26 Vou said just it was 3 foot 27 You just said in your statement which you guys already got in evidence 3 to 4 feet away from the house. And that's contradicting what you said in your statement. 26 WB. JOHNSON: That's all I have. 27 MR. JOHNSON: That's all I have. 28 MS. AlLTS WIEST: Do the Board members have any questions? 29 CHAIRMAN KOUBA: Just a couple of clarifications. You mentioned there were markings. 30 Q Let me ask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. 30 Q Let me ask you this: You said you're about 3 foot off the flow of the your pipe and the pipe was flailing 3 foot off the your pipe and the pipe was flailing 3 foot off the your pipe 4 foot to there's 8 foot of pi	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	Q A Q A Q A	rest of the site had been disturbed so I didn't see if there was any other marks besides that one yellow mark near the riser. Was it obvious to you that Mr. Johnson, either from your observation or else from the conversations you had with him, that the pipe had been hit with this skidder, this front-end loader? The scene sure showed that that was how it was hit. The Bobcat was right there and Mr. Johnson also had said that he had hit it with his skid steer while he was digging out this dirt. And the damage that was done to the pipe was such that it was completely severed or Completely severed. And then you fixed the pipe and leave the scene? We fixed the pipe and in the process we had to lower it just a little to Accommodate his wishes? Right. Yep.	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19	A Q A Q A	Okay. Your memory must not be right but it happened a little bit ago. When you got there and you pulled up, okay, what did you see from the road? From the road we walked over, had a look over the edge of the hill. There was a fairly steep hill when I saw over there. There was 3 or 4 feet of plastic pipe exposed blowing gas and on the other side of that there was 2 to 3 feet of gas line on the ground. Okay. The meter, okay, was okay. When you're looking at the house from the side, okay, where is the meter? On the side of the house. What side there's like a little indentation of the house. It was over here. Okay. So if there was it was like more than 4 foot away from the foundation from where we split the pipe. Right. Okay. If there was 4 feet of pipe sticking out or 3 feet like you say in your statement, it would have been
A Just to write this statement and that was it. MR. FRITZ: Thank you. That's all the questions I have. MS. ALLTS WIEST: Mr. Johnson, do 28 1 you have any questions? MR. JOHNSON: Yeah. CROSS-EXAMINATION BY MR. JOHNSON: Q You say in your statement here it was 3 or 4 feet downstream from the line where it was cut in two on both sides. Wouldn't that mean the pipes were flailing in the wind? A Uh-huh. Q They weren't, were they? The upstream side was, that's how we got our squeeze around it, and the downstream side was exposed also. Q Let me ask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. Am I correct or not? A No. It was exposed from somehow it was up in the air from dirt being removed from it. MR. JOHNSON: The Witness: I would guess that's what they were from. They were real faint and barely visible. CHAIRMAN KOUBA: But there wasn't anything recent? THE WITNESS: Not that I could see. CHAIRMAN KOUBA: Right. The witness: Right. The foundation CHAIRMAN KOUBA: Right. The Witness: Dirt had been THE WITNESS: Dirt had been The Witness: Right. The foundation CHAIRMAN KOUBA: Right. The Witness: Dirt had been			Have you had anything else to do with this matter since			whacking against the house.
MR. FRITZ: Thank you. That's all the questions I have. MS. AlLTS WIEST: Mr. Johnson, do 26 1 you have any questions? 28 1 you have any questions? 30 CROSS-EXAMINATION 4 BY MR. JOHNSON: Yeah. 5 Q You say in your statement here it was 3 or 4 feet downstream from the line where it was cut in two on both sides. Wouldn't that mean the pipes were flailing in the wind? 9 A Uh-huh. 10 Q They weren't, were they? 11 A The upstream side was, that's how we got our squeeze around it, and the downstream side was exposed also. 13 Q Let me ask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house, Own, If the pipe was flailing 3 foot off the pipe was flailing 3 foot off the pipe was flailing 3 f						•
the questions I have. MS. AILTS WIEST: Mr. Johnson, do 26 1 you have any questions? 28 28 29 MR. JOHNSON: Yeah. 30 CROSS-EXAMINATION 41 BY MR. JOHNSON: Yeah. 42 You say in your statement here it was 3 or 4 feet downstream from the line where it was cut in two on both sides. Wouldn't that mean the pipes were fialling in the wind? A Uh-huh. 10 Q They weren't, were they? 11 A The upstream side was, that's how we got our squeeze around it, and the downstream side was exposed also. 12 around it, and the downstream side was exposed also. 13 Q Let me ask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. Am I correct or not? A No. It was exposed from somehow it was up in the air from dirt being removed from it. MR. JOHNSON: All right. He's lying but whatever. 10 Q When you got there, okay, and you had to burry your pipe 4 foot so there's 8 foot of pipe, and there was approximately 2 feet or so on each end of it. 24 A We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it.		Α			Q	· · · · · · · · · · · · · · · · · · ·
25 MS. AILTS WIEST: Mr. Johnson, do 26 1 you have any questions? 28 2 MR. JOHNSON: Yeah. 29 20 MR. JOHNSON: Yeah. 30 CROSS-EXAMINATION 4 BY MR. JOHNSON: 4 5 Q You say in your statement here it was 3 or 4 feet downstream from the line where it was cut in two on 5 both sides. Wouldn't that mean the pipes were flailing 6 in the wind? 9 A Uh-huh. 9 A Uh-huh. 9 A Uh-huh. 9 A Uh-huh. 9 CHAIRMAN KOUBA: Just a couple of clarifications. You mentioned there were markings. Were those from they were from a previous location or THE WITNESS: I would guess that's what they were from a previous location or THE WITNESS: I would guess that's anything recent? 10 A No. It was exposed from somehow it was up in the air from dirt being removed from it. 10 Q When you got there, okay, and you had to burry your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? 10 Q When you got there, okay, and you had to burry your pipe 4 foot so there's 8 foot of pipe, and there was approximately 2 feet or so on each end of it.					A	
you have any questions? MR. JOHNSON: Yeah. CROSS-EXAMINATION BY MR. JOHNSON: Vou say in your statement here it was 3 or 4 feet downstream from the line where it was out in two on both sides. Wouldn't that mean the pipes were flailing in the wind? A Uh-huh. The upstream side was, that's how we got our squeeze around it, and the downstream side was exposed also. Let me ask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. A No. It was exposed from somehow it was up in the air from dirt being removed from it. MR. JOHNSON: All right. He's lying but whatever. When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe, and there was approximately 2 feet or so on each end of it.			·			
MR. JOHNSON: Yeah. CROSS-EXAMINATION BY MR. JOHNSON: Q You say in your statement here it was 3 or 4 feet downstream from the line where it was cut in two on both sides. Wouldn't that mean the pipes were flailing in the wind? A Uh-huh. Q They weren't, were they? The upstream side was, that's how we got our squeeze around it, and the downstream side was exposed also. Let me ask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house, Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. Am I correct or not? A No. It was exposed from somehow it was up in the air from dirt being removed from it. MR. JOHNSON: That's all I have. MR. AILTS WIEST: Do the Board members have any questions? CHAIRMAN KOUBA: Just a couple of clarifications. You mentioned there were markings. Were those from they were from a previous location or THE WITNESS: I would guess that's what they were from. They were real faint and barely visible. CHAIRMAN KOUBA: But there wasn't anything recent? A No. It was exposed from somehow it was up in the air from dirt being removed from it. MR. JOHNSON: The Were those from they were from a previous location or THE WITNESS: I would guess that's anything recent? THE WITNESS: Not that I could see. CHAIRMAN KOUBA: You mentioned there was 18 inches to 24 inches of dirt line on the house. THE WITNESS: Right. The foundation CHAIRMAN KOUBA: Right. THE WITNESS: Dirt had been	 .		26			
3 CROSS-EXAMINATION 4 BY MR. JOHNSON: 5 Q You say in your statement here it was 3 or 4 feet 6 downstream from the line where it was cut in two on 7 both sides. Wouldn't that mean the pipes were flailing 8 in the wind? 9 A Uh-huh. 10 Q They weren't, were they? 11 A The upstream side was, that's how we got our squeeze 12 around it, and the downstream side was exposed also. 13 Q Let me ask you this: You said you're about 3 foot off 14 the house. Okay. If the pipe was flailing 3 foot off 15 the house you would have had to dig all of that dirt. 16 A No. It was exposed from somehow it was up in the 17 air from dirt being removed from it. 18 lying but whatever. 20 When you got there, okay, and you had to bury your pipe 21 4 foot so there's 8 foot of pipe, and there was approximately 25 2 feet or so on each end of it. 2 I that's contradicting what you said in your statement. 4 MR. JOHNSON: That's all I have. CHAIRMAN KOUBA: But there wasn't anything recent? THE WITNESS: Right. The foundation CHAIRMAN KOUBA: Right. The witness contained there was approximately anything r	1 2				Q	
4 BY MR. JOHNSON: That's all I have. 5 Q You say in your statement here it was 3 or 4 feet downstream from the line where it was cut in two on both sides. Wouldn't that mean the pipes were flailing in the wind? 9 A Uh-huh. 10 Q They weren't, were they? 11 A The upstream side was, that's how we got our squeeze around it, and the downstream side was exposed also. 13 Q Let me ask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. 16 Am I correct or not? 17 A No. It was exposed from somehow it was up in the air from dirt being removed from it. 18 I what they were from. They were real faint and barely visible. 19 CHAIRMAN KOUBA: But there wasn't anything recent? 10 CHAIRMAN KOUBA: But there wasn't anything recent? 11 A No. It was exposed from somehow it was up in the air from dirt being removed from it. 19 MR. JOHNSON: All right. He's lying but whatever. 20 When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? 21 Q When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe, and there was approximately 2 feet or so on each end of it. 21 Q We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it.						<u> </u>
downstream from the line where it was cut in two on both sides. Wouldn't that mean the pipes were flailing in the wind? 4 Uh-huh. 5 A Uh-huh. 6 CHAIRMAN KOUBA: Just a couple of clarifications. You mentioned there were markings. Were those from they were from a previous location or 7 THE WITNESS: I would guess that's what they were from. They were real faint and barely visible. 8 THE with they were from a previous location or 8 THE WITNESS: I would guess that's what they were from. They were real faint and barely visible. 9 CHAIRMAN KOUBA: But there wasn't anything recent? 10 THE WITNESS: Not that I could see. CHAIRMAN KOUBA: You mentioned there was 18 inches to 24 inches of dirt line on the house. 10 THE WITNESS: Not that I could see. CHAIRMAN KOUBA: You mentioned there was 18 inches to 24 inches of dirt line on the house. 11 THE WITNESS: Right. The foundation 12 THE WITNESS: Right. The foundation 13 THE WITNESS: Dirt had been removed. You could see the line on the cement where dirt had been.	4			4		MR. JOHNSON: That's all I have.
both sides. Wouldn't that mean the pipes were flailing in the wind? No. It was exposed from would have had to dig all of that dirt. No. It was exposed from would have had to dig all of the air from dirt being removed from it. MR. JOHNSON: All right. He's lying but whatever. 10 both sides. Wouldn't that mean the pipes were flailing in the wind? No. It was exposed from would have had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? No. It was exposed from out the foot of pipe, and there was approximately 25 2 feet or so on each end of it. No. It was exposed from out the pipe was flailing and the pipes were flailing and there was exposed also. 10 CHAIRMAN KOUBA: Just a couple of clarifications. You mentioned there were markings. Were those from were from a previous location or what they were from. They were real faint and barely visible. 12 THE WITNESS: I would guess that's what they were from. They were real faint and barely visible. 13 CHAIRMAN KOUBA: But there wasn't anything recent? 14 THE WITNESS: Not that I could see. 15 CHAIRMAN KOUBA: The Witney were from what they were from. They were real faint and barely visible. 16 CHAIRMAN KOUBA: But there wasn't anything recent? 18 THE WITNESS: Not that I could see. 19 CHAIRMAN KOUBA: The Witney was approximately anything recent? 19 THE WITNESS: Right. The foundation where dirt had been.	1	Q	• •	1		
s in the wind? A Uh-huh. They weren't, were they? They weren't, were they? They weren't, were they? They weren't, were they? They upstream side was, that's how we got our squeeze around it, and the downstream side was exposed also. Let me ask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. Am I correct or not? A No. It was exposed from somehow it was up in the air from dirt being removed from it. MR. JOHNSON: All right. He's lying but whatever. When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? A We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it. B CHAIRMAN KOUBA: You mentioned there were markings. Were those from they were from a previous location or THE WITNESS: I would guess that's what they were from. They were real faint and barely visible. CHAIRMAN KOUBA: But there wasn't anything recent? THE WITNESS: Not that I could see. CHAIRMAN KOUBA: You mentioned there was 18 inches to 24 inches of dirt line on the house. THE WITNESS: Right. The foundation CHAIRMAN KOUBA: Right. THE WITNESS: Dirt had been removed. You could see the line on the cement where dirt had been.	6 7					• ,
9 A Uh-huh. 10 Q They weren't, were they? 11 A The upstream side was, that's how we got our squeeze around it, and the downstream side was exposed also. 12 Use the meask you this: You said you're about 3 foot off the house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. 16 A No. It was exposed from somehow it was up in the air from dirt being removed from it. 17 A No. It was exposed from somehow it was up in the air from dirt being removed from it. 18 Iying but whatever. 20 When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? 21 Q When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? 21 A We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it. 25 S A We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it. 29 Were those from they were from a previous location or THE WITNESS: I would guess that's what they were from. They were real faint and barely visible. 10 THE WITNESS: Not that I could see. CHAIRMAN KOUBA: But there wasn't anything recent? 11 THE WITNESS: Not that's what's what they were from. They what's around it, and the's barely sible. 12 CHAIRMAN KOUBA: But there wasn't anything recent? 13 Daniel State of pipe wasn't anything recent? 14 Daniel State of pipe wasn't anything recent? 15 A No. It was exposed from somehow it was up in the anything recent? 16 THE WITNESS: Not that I could see. 17 CHAIRMAN KOUBA: They wasn't anything recent? 18 Daniel State of pipe wasn't anything recent? 19 THE WITNESS: Not that I could see. 19 CHAIRMAN KOUBA: They wasn't anything recent? 20 THE WITNESS: Dirt had been removed. You could see the line on the cement where dirt had been.	8		1,			•
10		A				<u> </u>
around it, and the downstream side was exposed also. 12 what they were from. They were real faint and barely visible. 13 barely visible. 14 che house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. 15 An I correct or not? 16 A No. It was exposed from somehow it was up in the air from dirt being removed from it. 19 MR. JOHNSON: All right. He's lying but whatever. 20 Iying but whatever. 21 What they were from. They were real faint and barely visible. 14 CHAIRMAN KOUBA: But there wasn't anything recent? 15 THE WITNESS: Not that I could see. CHAIRMAN KOUBA: You mentioned there was 18 inches to 24 inches of dirt line on the house. 20 THE WITNESS: Right. The foundation 21 Gound; is that correct? 22 CHAIRMAN KOUBA: Right. 23 THE WITNESS: Dirt had been removed. You could see the line on the cement where dirt had been.		-		1		location or
the house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. Am I correct or not? A No. It was exposed from somehow it was up in the air from dirt being removed from it. MR. JOHNSON: All right. He's lying but whatever. When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? A We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it. A m I correct or not? 15		A	· · · · · · · · · · · · · · · · · · ·			
the house. Okay. If the pipe was flailing 3 foot off the house you would have had to dig all of that dirt. Am I correct or not? A No. It was exposed from ·· somehow it was up in the air from dirt being removed from it. MR. JOHNSON: All right. He's lying but whatever. When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? A We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it. A It anything recent? A CHAIRMAN KOUBA: But there wasn't anything recent? A CHAIRMAN KOUBA: Other anything recent? THE WITNESS: Not that I could see. The witness: Not that I co	1	^	·	ı		•
the house you would have had to dig all of that dirt. Am I correct or not? A No. It was exposed from somehow it was up in the air from dirt being removed from it. MR. JOHNSON: All right. He's lying but whatever. Yhen you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? A We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it. A Mo. It was exposed from somehow it was up in the 17	1	Ų	· · ·	1		•
Am I correct or not? A No. It was exposed from somehow it was up in the air from dirt being removed from it. MR. JOHNSON: All right. He's Iying but whatever. When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? A We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it. A No. It was exposed from somehow it was up in the 17 CHAIRMAN KOUBA: You mentioned 18 there was 18 inches to 24 inches of dirt line on 19 the house. 20 THE WITNESS: Right. The 19 foundation CHAIRMAN KOUBA: Right. 21 CHAIRMAN KOUBA: Right. 22 CHAIRMAN KOUBA: Right. 23 THE WITNESS: Dirt had been 19 removed. You could see the line on the cement 19 where dirt had been.	1		· · · · · · · · · · · · · · · · · · ·			
air from dirt being removed from it. MR. JOHNSON: All right. He's lying but whatever. When you got there, okay, and you had to bury your pipe 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? We fused in 3 feet of pipe, and there was approximately 2 feet or so on each end of it. 18 there was 18 inches to 24 inches of dirt line on the house. THE WITNESS: Right. The foundation CHAIRMAN KOUBA: Right. THE WITNESS: Dirt had been removed. You could see the line on the cement where dirt had been.				16		
19 MR. JOHNSON: All right. He's 20 Iying but whatever. 21 Q When you got there, okay, and you had to bury your pipe 22 4 foot so there's 8 foot of pipe sticking out of the 23 ground; is that correct? 24 A We fused in 3 feet of pipe, and there was approximately 25 2 feet or so on each end of it. 19 the house. 20 THE WITNESS: Right. The 21 foundation 22 CHAIRMAN KOUBA: Right. 23 THE WITNESS: Dirt had been 24 removed. You could see the line on the cement 25 where dirt had been.	I	A	· · · · · · · · · · · · · · · · · · ·			
20 THE WITNESS: Right. The 21 Q When you got there, okay, and you had to bury your pipe 22 4 foot so there's 8 foot of pipe sticking out of the 23 ground; is that correct? 24 A We fused in 3 feet of pipe, and there was approximately 25 2 feet or so on each end of it. 20 THE WITNESS: Right. The 21 foundation 22 CHAIRMAN KOUBA: Right. 23 THE WITNESS: Dirt had been 24 removed. You could see the line on the cement 25 where dirt had been.	1 t		•	i		
21	1					
22 4 foot so there's 8 foot of pipe sticking out of the ground; is that correct? 23 ground; is that correct? 24 A We fused in 3 feet of pipe, and there was approximately 25 2 feet or so on each end of it. 26 CHAIRMAN KOUBA: Right. 27 THE WITNESS: Dirt had been 28 removed. You could see the line on the cement 29 where dirt had been.	1	0				•
23 ground; is that correct? 24 A We fused in 3 feet of pipe, and there was approximately 25 2 feet or so on each end of it. 23 THE WITNESS: Dirt had been 24 removed. You could see the line on the cement 25 where dirt had been.	1	4				
25 2 feet or so on each end of it. 25 where dirt had been.	 		, , =	23		-
		A	, , , , , , , , , , , , , , , , , , ,			

	Case Compi	ress		
		29		31
	1	CHAIRMAN KOUBA: So it had been	1	THE WITNESS: It looked
	2	removed at some point?	2	MR. SOLSETH: Width-wise?
	3	THE WITNESS: Fairly recently. It	3	THE WITNESS: 6 feet probably. The
	4	was wet as in wet dirt against concrete.	4	retaining wall blocks were, I suppose, 18 to 2 feet
	5	CHAIRMAN KOUBA: That's all I have.	5	wide and the hill is sloping at a fairly steep
	6	MS. AILTS WIEST: Any other	6	slope and to fit those retaining walls in at the
	7	questions?	7	edge of the house it had to be leveled off for a
	8	MR. LARSON: Yes, I had a couple of	8	fair distance. So I would guess 6 feet.
١	9	questions. How far away from the break of the line	9	MR. SOLSETH: When you got there was
	10	did you use the squeeze-on tool?	10	there pipe exposed because it had been probably
	11	THE WITNESS: As close to the side	11	torn out by the skid steer loader in your mind or
	12	hill as we could so we were probably 3 feet from	12	had it been exposed and they were just working
	13	the break.	13	around it? I mean, if there was 6 feet, most skid
	14	MR. LARSON: So it was still	14	steer loaders in my mind are around bucket width of
	15	exposed, you didn't have to hand dig to expose the	15	no more than 50 inches is common I would say or
	16	tool?	16	maybe 60 inches, which would be 5 feet. So there
	17	THE WITNESS: We didn't have to hand	17	hadn't been in your opinion he had hit it
	18	dig to expose, no.	18	unknowingly?
	19	MR. ANDERSON: I have just one if I	19	THE WITNESS: That would be my
	20	could. Based on your experience, if there was	20	opinion, he had hit it unknowingly.
	21	say there was 4 feet exposed. Would a gas line of	21	MR. SOLSETH: He hadn't had it
	22	that type under I believe previous testimony	22	
	23	, ,	23	exposed and was just trying to peel a little off at the bucket?
	24	said it operates under 30 psi. Would 30 psi under	24	
	25	that much pressure, would that thing be flopping	2 4 25	THE WITNESS: No, sir. It looked
	20	around?	20	like he came in in line with it and skinned the top
		30		32
	1	THE WITNESS: The gas pipe is fairly	1	of it for 2 to 3 feet and then it started to climb
	2	stiff. I've never seen it flail around like that.	2	up the embankment, severed it, and that left the 2
	3	I mean, I haven't seen a lot of long stretches of	3	to 3 feet on the upstream side of it.
	4	gas pipe exposed with 30 pounds blowing through	4	MR. SOLSETH: Thank you.
	5	them. They're always short stretches. But no,	5	MR. GILLIGAN: Just for
	6	l've never seen gas pipe flail around.	6	clarification, were there any other contractors on
	7	MR. TERRY LARSON: I have one	7	site?
	8	question. From the meter to the paint mark to the	8	THE WITNESS: No, sir.
	9	cut line, is that a relatively straight line?	9	MS. AILTS WIEST: Any other
	10	THE WITNESS: It was starting around	10	questions from the Board members? I just had one
	11	a curve. From the meter to the paint mark were in	11	question. I know in the Complaint it said that the
	12	a straight line and then there was a small curve	12	marked line was still clearly visible and I think
	13	going up to the hill.	13	you said it was faint. How visible was that line,
	14	MR. TERRY LARSON: So the line was	14	the markings?
	15	cut not straight from the meter to the paint mark	15	THE WITNESS: You didn't have to
	16	to the cut?	16	scour the ground to see it but you had to know what
	17	THE WITNESS: No.	17	you were looking for to see it. You had to go
	18	MR. TERRY LARSON: There is a jog or	18	looking for the yellow line to see it. It wasn't
	19	something?	19	vivid yellow. It was dirt mixed in, you know. It
	20	THE WITNESS: It's starting to bend	20	was faint.
	21	around the corner of the house.	21	MS. AILTS WIEST: Okay. Thank you.
	22	MR. TERRY LARSON: That's all I	22	Any other questions?
	23	have.	23	CHAIRMAN KOUBA: One question. And
	24	MR. SOLSETH: My question is how	24	I don't know whether or not it's a relevant
	25	large an area had been excavated?	25	question but I'm going to ask it anyway. Did you

	Jase		mpress			
		_	33		_	35
	1		go back in your investigation and look to see when	1	A	You could hear the gas but the pipe wasn't moving or
	2		a previous locate would have been done there?	2	•	anything.
	3		THE WITNESS: I did not.	3		MR. JOHNSON: That's all the
				1.		
	4		CHAIRMAN KOUBA: Okay.	4 5		questions I have.
١	5		MS. AILTS WIEST: Any other	5		MS. AILTS WIEST: Mr. Fritz?
	6		questions? Any redirect, Mr. Fritz?	6		<u>CROSS-EXAMINATION</u>
١	7		MR. FRITZ: None.	7		BY MR. FRITZ:
-	8		MS. AILTS WIEST: Thank you. Do you	8	Q	Mr. Erhart, you're an employee of Mr. Johnson's; is
İ	9		have any further witnesses, Mr. Fritz?	9		that right?
ļ	10		MR. FRITZ: We do not.	10	Α	I was there that day.
	11		MS. AILTS WIEST: Mr. Johnson, do	111	Q	As a friend or ··
- 1	12		you have any witnesses?	12	Ā	Yeah.
	13		MR. JOHNSON: (Witness nods head)	13		as an employee?
- 1			· · · · · · · · · · · · · · · · · · ·		-	As a friend.
	14		MS. AILTS WIEST: Would you like to	14	A	
- 1	15		call your first witness.	15	Q	And what was your role in this? I mean, were you just
1	16		SCOTT ERHART,	16	_	watching?
- 1	17		called as a witness, being first duly sworn in the	17	A	I was just there. It was close to lunchtime. We were
- 1	18		above cause, testified under oath as follows:	18		going to go to lunch and I was just up there.
- 1	19		MS. AILTS WIEST: At this point,	19	Q	·
	20		Mr. Johnson, you can ask the questions but please	20	Α	He was in the Bobcat, yes. He was skimming the surface
	21		have him state his name and address.	21		about 2 inches with the Bobcat.
	22		<u>DIRECT EXAMINATION</u>	22	Q	And do you know what he was attempting to do? What
	23		BY MR. JOHNSON:	23	•	kind of work was he doing out there?
	24	Q	What is your name?	24	A	He was putting in a brick retaining wall.
	25	A	Scott Erhart.	25	0	For this homeowner?
1		<u></u>		_		
-J	ı		34	. 1		36
1	,			1		
-	1	Q	Where do you live?	1		Yeah.
	1 2	-	Where do you live? I live on 14787 Quarterhorse Drive.	1 2	Q	Yeah. And you saw him hit the pipe?
	1 2 3	-	Where do you live?	1 2 3		Yeah. And you saw him hit the pipe? Yeah.
		A	Where do you live? I live on 14787 Quarterhorse Drive.	1 2	Q	Yeah. And you saw him hit the pipe?
	3	A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your	1 2 3	Q A	Yeah. And you saw him hit the pipe? Yeah.
	3 4	A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging?	1 2 3 4	Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe?
	3 4 5	A Q A	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see.	1 2 3 4 5	Q A Q A Q	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed.
	3 4 5 6 7	A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating?	1 2 3 4 5 6 7	Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah.
	3 4 5 6 7 8	A Q A	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width?	1 2 3 4 5 6 7 8	Q A Q A Q	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2
	3 4 5 6 7 8 9	A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet?	1 2 3 4 5 6 7 8 9	Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do
	3 4 5 6 7 8 9	A Q A Q A	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so.	1 2 3 4 5 6 7 8 9	Q A Q A Q A Q	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do?
	3 4 5 6 7 8 9 10	A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep?	1 2 3 4 5 6 7 8 9 10	Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall.
	3 4 5 6 7 8 9 10 11	A Q A Q A Q A	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah.	1 2 3 4 5 6 7 8 9 10 11 12	Q A Q A Q A Q A Q	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens?
	3 4 5 6 7 8 9 10 11 12	A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and	1 2 3 4 5 6 7 8 9 10 11 12 13	Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire
	3 4 5 6 7 8 9 10 11 12 13	A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground?	1 2 3 4 5 6 7 8 9 10 11 12 13	Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe.
	3 4 5 6 7 8 9 10 11 12 13 14	A Q A Q A Q A	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15	Q A Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out?
	3 4 5 6 7 8 9 10 11 12 13 14 15 16	A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	Q A Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house.
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there that you could see the pipe. And it was no more	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Q A Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house. Did you see the MDU crew come and investigate and fix
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16	Q A Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house.
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there that you could see the pipe. And it was no more	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17	Q A Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house. Did you see the MDU crew come and investigate and fix it?
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there that you could see the pipe. And it was no more than ·· I mean, the pipe was barely able to be seen.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18	Q A Q A Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house. Did you see the MDU crew come and investigate and fix it? Yep.
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there that you could see the pipe. And it was no more than I mean, the pipe was barely able to be seen. It was right on top. I mean, it may have had a little pitch out of the ground on one side but they both	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20	Q A Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house. Did you see the MDU crew come and investigate and fix it? Yep. Did you observe any excavation at or near the scene
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there that you could see the pipe. And it was no more than I mean, the pipe was barely able to be seen. It was right on top. I mean, it may have had a little pitch out of the ground on one side but they both weren't ripped out of the ground 2 foot or 18 inches,	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21	Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house. Did you see the MDU crew come and investigate and fix it? Yep. Did you observe any excavation at or near the scene prior to when you come for lunch that day?
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	A Q A Q A Q A Q A Q A Q A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there that you could see the pipe. And it was no more than I mean, the pipe was barely able to be seen. It was right on top. I mean, it may have had a little pitch out of the ground on one side but they both weren't ripped out of the ground 2 foot or 18 inches, nothing like that.	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22	Q A Q A Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house. Did you see the MDU crew come and investigate and fix it? Yep. Did you observe any excavation at or near the scene prior to when you come for lunch that day? You mean as in the slopes of the yard or anything?
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there that you could see the pipe. And it was no more than I mean, the pipe was barely able to be seen. It was right on top. I mean, it may have had a little pitch out of the ground on one side but they both weren't ripped out of the ground 2 foot or 18 inches, nothing like that. Okay. After I hit it and I shut the machine off were	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 23 24 25 26 27 27 27 27 27 27 27 27 27 27 27 27 27	Q A Q A Q A Q A Q A Q A Q	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house. Did you see the MDU crew come and investigate and fix it? Yep. Did you observe any excavation at or near the scene prior to when you come for lunch that day? You mean as in the slopes of the yard or anything? Right.
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	A Q A Q A Q A Q A Q A Q A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there that you could see the pipe. And it was no more than I mean, the pipe was barely able to be seen. It was right on top. I mean, it may have had a little pitch out of the ground on one side but they both weren't ripped out of the ground 2 foot or 18 inches, nothing like that. Okay. After I hit it and I shut the machine off were the pipes flailing in the air like Montana-Dakota was	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24	Q A Q A Q A Q A Q A Q A	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house. Did you see the MDU crew come and investigate and fix it? Yep. Did you observe any excavation at or near the scene prior to when you come for lunch that day? You mean as in the slopes of the yard or anything? Right. Well, it did slope towards the back of the house. The
	3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	A Q A Q A Q A Q A Q A Q A Q A Q A Q A Q	Where do you live? I live on 14787 Quarterhorse Drive. All right. When we were working that day, from your recollection how deep were we digging? His bucket was no more than 2 inches in the ground that I could see. Okay. How big of an area were we excavating? On the length or width? How big are the blocks we were using? About 4 feet? The blocks are roughly 3 foot by 2 foot wide or so. 2 foot deep? Yeah. All right. And after I hit the pipe what happened and how much of the pipe did I pull out of the ground? The pipe was even, maybe a foot that you could see on both sides. So it's like a 2-foot stretch right there that you could see the pipe. And it was no more than I mean, the pipe was barely able to be seen. It was right on top. I mean, it may have had a little pitch out of the ground on one side but they both weren't ripped out of the ground 2 foot or 18 inches, nothing like that. Okay. After I hit it and I shut the machine off were	1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 23 23 24 25 26 27 27 27 27 27 27 27 27 27 27 27 27 27	Q A Q A Q A Q A Q A Q A Q	Yeah. And you saw him hit the pipe? Yeah. And did it actually sever the pipe? The pipe was severed. As a result of being hit by this Bobcat? Yeah. And when you say that he was just skimming the ground 2 inches with a Bobcat, what's the purpose of that? Do you know? Do you know what he was attempting to do? Well, I would guess to make it level for the wall. Okay. After he hits the pipe, then what happens? He turned the skid loader off, and he called the fire department and MDU, I do believe. And were you there when MDU came out? I was up the road away from the house. Did you see the MDU crew come and investigate and fix it? Yep. Did you observe any excavation at or near the scene prior to when you come for lunch that day? You mean as in the slopes of the yard or anything? Right.

(Case	Co	mpress			
ſ			37			39
ĺ	1	Q	And had Mr. Johnson done some excavating there prior to	1		MR. FRITZ: Nothing.
-	2		this?	2		MS. AILTS WIEST: If not, thank you.
	3	A	It came down and the wall was	3		Mr. Johnson, were you going to testify?
)	4		THE WITNESS: How tall was the wall?	4		WESLEY JOHNSON,
	5		MS. AILTS WIEST: I'm sorry. You	5		called as a witness, being first duly sworn in the
	6		can't ask.	6		above cause, testified under oath as follows:
	7	Α	I'm not too sure how tall the wall was or how much was	7		MS. AILTS WIEST: Could you state
١	8		actually dug out but from when I was there that day he	8 9	A	your name and address for the record?
ļ	9	•	didn't dig any but just that 2 inches off the top.	10		Wesley Johnson, 1323 B Sidney Drive, Rapid City. This was one of my first jobs of the year putting in a brick
	10	Q	So when you're there that day before lunch he's just	11		retaining wall that was new. They were the big blocks
	11 12		skimming 2 inches of dirt off the top of undisturbed ground?	12		with the nipples on top to hold them in place down the
	13	A	-	13		line. And they're huge. So he was trying to say the
	14	Q	Okay. The skimming that he was doing, was that	14		bricks were like this. I mean, they're 4 foot wide by
	15	ų	undisturbed? Do you know what I mean by undisturbed?	15		3 foot deep by 2 foot high. So they're big brick.
	16	A	I don't know what you mean.	16		They weigh like 2,500 pounds.
	17	Q	Did it appear that there had been some excavation prior	17		The ground was when I got there was
	18	•	to the incident when Mr. Johnson hit the pipe?	18		relatively flat to what I needed to work with. I
	19	A	Possibly.	19		needed to scrape off a little bit of dirt and I mean
	20		MR. FRITZ: That's all the questions	20		little, like a half inch to 1 inch of dirt off one side
	21		l have.	21		and put it over on the other side to make it perfectly
	22		MS. AILTS WIEST: Any questions from	22		level and bring in pink rock to put in on top of that.
	23		the Board members?	23		Well, I got there, started to work, told my
	24		MR. TERRY LARSON: That Prestwick's	24		buddy I would be done in a few minutes because it
	25		a new area out there, I believe. Was there grass	25		wasn't going to take me long to do this. And I seen
			. 38			40
	1		established, or was this all dirt grade?	1		the line there for the gas line but I figured since he
	2		THE WITNESS: It was all dirt.	2		was scraping a half inch of dirt or an inch because it
	3		MR. TERRY LARSON: That's all I got.	3		was almost level that the pipe shouldn't be there which
	4		MR. CHAMBERS: How long were you	4		probably was my fault for doing that. But I started
	5		there prior to	5		moving a little bit of dirt, moved it over and all of a
	6		THE WITNESS: Before he hit it, 45	6		sudden we heard this big like air escaping from the
	7		minutes, hour.	7		pipe. So immediately I backed the skid loader up, shut
	8		MR. GILLIGAN: Did you see any	8 9		it off, jumped out, and I called the people, the fire department, Montana-Dakota. I called South Dakota One
	9		utility markings when you were on the site?	10		Call first, let them know what happened. They told me
	10		THE WITNESS: I didn't see any utility markings.	11		to call the fire department.
	12		MR. GILLIGAN: Was the homeowner on	12		So there were lines there and they were
	13		site?	13		marked clearly. The guy had marked them three days
	14		THE WITNESS: No.	14		prior to me coming out to do the work. They were just
	15		MS. AILTS WIEST: Any other	15		done the day before. I mean, it rained so they were
	16		questions from the Board? Did you have any further	16		I mean, you could see them but you couldn't see them.
	17		questions of your witness, Mr. Johnson?	17		There were flags everywhere where all the marks were.
	18		REDIRECT EXAMINATION	18		So they were clearly marked. It was clearly marked.
	19		BY MR. JOHNSON:	19		So I knew the gas line was right there.
	20	Q	· · · · · · · · · · · · · · · · · · ·	20		But I didn't think it was going to be that
	21		made it to the job? Was I there prior to that?	21		close to the surface. And this guy, when he was trying
	22	A		22		to say that I can talk now about that or no?
	23		MR. JOHNSON: No further questions.	23		MS. AILTS WIEST: Go ahead.
	24		MS. AILTS WIEST: Any other	24	A	Okay. When this guy showed up the pipe was sticking
	25		questions?	25		out of the ground I bet you about like this and it was
	-		SION REPORTING LTD (605) 9	15 0	F70	Page 37 to Page 40

Case	Compress					
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	just sticking up like this blowing in the wind. wasn't flapping, you know, 4 foot out of the gro like he was trying to say it was. It was just rea little out of the ground like this. When we wall back down there to shut it off they dug from 1 to a 2 foot one way like into the hill about 2 foot and to the right of the hill which was downhill they dug maybe a foot, okay? They cinched that pipe together. They left it apart like this so we could hand dig som out of there because just a little bit needed to out. Moved it and then they put their line right underneath my wall. Right now if we go out the excavate it that line is right underneath the way Like my brick is sitting on their gas line, not be at all. Like when you go out there right now it still sitting there. MS. AILTS WIEST: Anything exyou'd like to add? THE WITNESS: That's it. MS. AILTS WIEST: Mr. Fritz? MR. FRITZ: Thank you. CROSS-EXAMINATION BY MR. FRITZ: Mr. Johnson, you're the owner and operator of	ound al ked bet you maybe from it y first come it ere and all. buried 's	2 3 4 5 6 7 8 9 10 11 2 13 14 15 16 17 18 19 20 21 22 23 24	Q A Q A Q A Q	Yeah. That's why I wasn't digging. Okay. I was pushing dirt, which is different than digging. My bucket would have to be on an inclined angle into the dirt to be digging. My bucket was straight across the top of the dirt just pushing dirt from one side where I was building the wall over to the other side to make it so the dirt would be level. So that's different than digging. I wasn't digging in the ground. But if you had been digging in the ground, you knew you weren't supposed to be doing that with a Bobcat? If I was digging, yes. I know you're not supposed to dig. I already know this. That's a given. All right. Now are you also aware of the fact that as a contractor, an excavator, you have an obligation to let One Call know if you're going to excavate? Correct. You're familiar with the One Call law in this little booklet; is that right? Yeah. I have that same booklet. You've got the same booklet. You keep it with you in your equipment or your office; isn't that right? Yeah. I'm only saying that because she has a hard time getting your head nods. You have to answer orally. Yes.	43
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	CreateAScape landscaping? A Yes, sir. Q And I believe you testified and I think I heard right that you knew the gas line was there who was; is that right? A Yes, sir. Q And you knew that by some markings on the gas And flags. Q So you knew you were digging over a gas line? A Correct. Q And A Digging. I wasn't digging. I was skimming. Q Skimming it with your Bobcat; right? A Yes. Q And A What I mean by skimming is I was moving the was on this side of the gas line and pushing it this side. So I wasn't digging. I was moving the was on this side of the gas line was becaute like this and dropped down by the house. So trying to fill in that void of dirt that was missing there so I could get a flat surface to work on the my wall up. Q Are you aware you're not to be digging over a with anything other than hand tools?	e dirt that t over to dirt to ise it went I was ng	2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23	A	Okay. So you were aware of the One Call laws in South Dakota code regarding this situation? Okay. I didn't take the book and read it from start to finish. Most of it's common sense is what I figured. Okay. But this didn't when you received the notification of the Complaint it didn't you knew what it was all about at least? What This hearing and the whole Complaint? No. I was dumbfounded when I first got it because I've never had a Complaint against me ever. Attached to the Complaint is your letter of May 21, 2004. You know what that is, don't you, the one you wrote and you write it to the One Call Board and you indicate that the Complaint is "nonsense;" right? Sure. All right. And then you go on to state that the locates in this situation were called in by the homeowner earlier that month; is that right? Yep. And who was that homeowner? I can't think of his name right now. I did work a long time ago for him. At any rate, according to your answer to the Complaint apparently you were not the individual that notified	44

Case Compress		
1 One Call? 2 A Correct. Because the homeowner insisted he call them. 3 So I said all right, you go ahead and call. I didn't know I had to be the person that made the phone call. 5 Q And the homeowner told you he made the call or made the locate? 7 A You could tell it was made. There was markings made everywhere on the property. He told me exactly when he called, when it was going to be expired, when they were going to be done by, everything. 11 Q And now your job was to what, put this retaining wall in? 13 A Yeah. 14 Q And why would you only remove about 1 inch of dirt if you were going to put a retaining wall in? 16 A Okay. Why do you want to disturb it? The ground has already been there for a while. That's why we don't move dirt to recompact it to let it shift. That's where you have a lot of problems in retaining walls nowadays. This is my method. It works best. None of my walls lean, none of my walls fall, nothing. 20 And you were skimming this 1 or 2 inches of dirt and then all of a sudden the front end of your skidder caught the pipe. Is that it? 21 Q And actually pulled it out of the ground or broke it? 22 A No. Just snapped it right there. Pulled it out of the ground 6 inches on both sides and about a foot and	1 2 A A A A A A A A A A A A A A A A A A	It's sitting over there on the table. Where did that go? That orange envelope right there. MS. AILTS WIEST: Here's Exhibit 7. MR. FRITZ: All right. This is addressed to you, though, from the South Dakota Public Utilities Commission that was delivered to you by Rapid Delivery; is that right? Yes, sir. Got something that says that I refused delivery or something? Well, I guess the question to you is do you remember ever signing for registered mail? Yeah. I sure do. You did sign for it? Yeah.
 A Yep. Q Okay. Were you there when Mr. Sanders came out? A Yes. Q Okay. A The gentleman in the plaid (indicating) In the checkered shirt at the end of the table there. You were there when he came out; right? A Yes, sir. Q Now can you tell me, sir, why you refused to accept service of this hearing? A What do you mean, refused to accept service? Q Well, didn't registered mail come to you and you refused to take it? A Maybe. I don't believe so, though. Q How did you get notice of this hearing? A Some guy called me. I believe this gentleman right here, Larry Black, if that's Larry Black. Q Okay. Did you get something delivered to you by Rapid Delivery? A Yeah. I got that. 	8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25	deeply and so you didn't think it was a problem? I wasn't digging. Or you were skimming? I wasn't even skimming. That's the problem you're not getting. I was moving dirt from one spot of the hill, okay, across the gas line to the other part on the other side of the gas line, so that would mean I would pick up some dirt over here and move it over here. So the bucket was just just skimming across the top of the ground. Not digging any dirt, just skimming across the top moving dirt to the other side. Are you telling the Board you could see the gas line sitting in your bucket? I bet you you could have. As soon as that little bit of dirt moved off the top of it you could, boom, see the dirt right there. MR. FRITZ: Thank you. That's all the questions I have. MS. AILTS WIEST: Did the Board members have any questions?

Case Cor	npress		
	49		51
1	MR. LEHNER: How long have you been	1	THE WITNESS: I am now.
2	in business?	2	MR. SOLSETH: Prior to that time you
3	THE WITNESS: Five and a half years.	3	were unaware of that?
4	MR. CHAMBERS: How high is the	4	THE WITNESS: Prior to that time I
5	retaining wall you built in the area of the gas	5	knew if I put a sprinkler system in the only
6	line or directly above, how high is the retaining	6	time I need locates is if I put a sprinkler system
7	wall?	7	or fences. If there's a line going across where
8	THE WITNESS: 3 brick tall, which is	8	any sprinkler system's going to go, I hand dig that
9	6 foot.	9	even before this happened 6 foot on both sides
10	MR. CHAMBERS: So on the backside of	10	because I don't want to accidentally hit it because
11	the retaining wall how deep is the gas line?	11	supposedly they may be a foot on both sides, maybe
12	THE WITNESS: 6 feet on the backside	12	2 foot so I go up to 6 foot. They all dig 6 foot.
13	of it in the hill. Because I brought all new dirt	13	I knew you're supposed to hand expose this
14	in and put it over it. You know, because it went	14	stuff but maybe it's my miss fault or
15	like this and the retaining wall went like this and	15	misunderstanding or whatever. I wasn't digging. I
16	we filled all of that up to there. Immediately	16	was moving dirt over. I mean, it had like a little
17	right below the first brick or the second brick	17	spot that went like this by the wall and I was just
18	on the house, the gas line's right there. They	18	moving some dirt over to this side and going to lay
19	didn't dig anything. They say they dig, they're	19	pink rock on top and put the wall and compact it.
20	burying, whatever. They don't ever bury anything	20	MR. SOLSETH: So how do you explain
21	out there, not even the electrical.	21	the MDU witness's deal that I believe he said that
22	That's why I came here to this whatever this	22	he thought dirt had been removed by the side of the
23	is, hearing today, because you guys should know	23	house 18 to 24 inches?
24	what people like this do out in the field. They	24	THE WITNESS: They're lying. That's
25	don't bury anything. Every house that I've gone to	25	all there is to it. They're lying just like they
	50		52
1	there's been a problem where there's been a hit	1	said there was 4 foot.
2	line by some contractor or they hand exposed	2	MR. SOLSETH: There was never any
3	something and it was sitting just this much below	3	dirt removed on that side of the house?
4	the dirt, which is ridiculous (indicating). Kids	4	THE WITNESS: Not by me. None. I
5	go out there and play and grab the line or	5	didn't move any dirt. I didn't move any. Just
6	something and break it. It's irresponsible on	6	like they said there was 8 foot of pipe sticking
7	MDU's part.	7	out of the ground and it was flailing in the wind.
8	MR. CHAMBERS: No further questions.	8	It was a lie. It was not. They're lying.
9	MS. AILTS WIEST: Any other	9	MR. SOLSETH: Thank you.
10	questions?	10	MR. CHAMBERS: What time did you
11	MR. LARSON: Do you normally call	11	arrive on the site that day?
12	One Call before doing a job?	12	THE WITNESS: I showed up there
13	THE WITNESS: Every job. That's the	13	around 9:30, 10 o'clock, right around there. It
14	only job I didn't call on because the homeowner	14	was still a little bit wet. It rained like that
15	insisted he called because he wanted to make sure	15	week, all week like rained for three or four days
16	it got done. He's DCI. I don't know why. He's a	16	and we couldn't work. So it was the first day back
17	little different. He wanted to call. That's the	17	on the job. We showed up around 9:30, 10 o'clock.
18	only reason I didn't call on that job. Every other	18	We did a little bit of hand digging behind the wall
19	job before that I called.	19	to move the dirt back because the skid wasn't going
20	MR. LARSON: That's it. Thank you.	20	to fit just right in there, it was going to be on
21	MR. SOLSETH: Were you aware of the	21	an angle, so we moved dirt back, leveled off and we
22	fact that it's your responsibility as a contractor	22	needed a little dirt on the corner. That's when he
23	or an excavator, in this case you're probably	23	pulled in and I was moving dirt over to go out to
1 04	operating as an excavator, that you have to hand	24	lunch and (indicating).
24	operating as an excuvator, that you have to hand	1	·
25	expose the line?	25	MS. AILTS WIEST: Any other

20

21

22

23

24

25

observed that day certainly constitutes excavation

extent of calling scraping excavation.

So it's a little hard for me to imagine

someone moving an inch of dirt with a Bobcat

front-end loader and so I doubt that that is what

as is defined by 49-7A-1 and which even goes to the

20

21

22

23

24

25

dirt down to make it level because it went like

this. So scraped off some dirt and make it flat

and compact it. That's where the hand digging part

came in. We did hand dig but we didn't hand dig

the gas line because the gas line goes like this

and the walls come across it like this so the

Ca	se C	ompress		
		57	1	STATE OF SOUTH DAKOTA)
	1	line's vertical and the wall's horizontal across	2	:SS CERTIFICATE
	2	that property.	3	COUNTY OF HUGHES)
	3	So I wasn't digging at all. All I did was	4	
	4	grab some dirt just like I said and moved it over	5	I, CHERI MCCOMSEY WITTLER, a Registered
	5	to the other side, okay. I don't know if anybody	6	Professional Reporter and Notary Public in and for the
1	6	knows ever ran a skid loader before. All you do	7	State of South Dakota:
}	7	is just graze the top of the surface. That isn't	8	DO HEREBY CERTIFY that as the duly-appointed
1	8	considered digging. It says you have to be 1 to 2	9	shorthand reporter, I took in shorthand the proceedings
	9	inches deep to be digging. I wasn't 1 to 2 inches	10	had in the above-entitled matter on the 15th day of
- 1	10	deep. It was right across the surface, caught the	11	September 2004, and that the attached is a true and
	11	top of the pipe. You can even see it before they	12	correct transcription of the proceedings so taken.
- 1	12	fixed it, caught the top of the pipe and it		Dated at Pierre, South Dakota this 21st day
	13	snapped. I even hit it from the top, not the	13	of October 2004.
	14	bottom. That's all I have to say.	14	of October 2004.
	15	MS. AILTS WIEST: Thank you. At	15	
	16	this point I guess it's up to the Board. If any	16	01 100 4
1	17	Board member would like to propose to make a bench	17	Churty Will
	18	decision by making a Motion, they can, or a member	18	Cheri McComsey Wittler, Notary Public and
	19	could ask that the Board take this under advisement	19	Registered Professional Reporter
1	20	which would mean that the Board would make its	20 21	
-	21	actual decision at a later time.	22	
}	22	MR. ANDERSON: Mr. Chairman, I would	23	
1	23	enter a Motion that we take the evidence under	24	
	24	advisement and go forward with the decision at some	25	
- [25	future date.		
-		58		
.	1	CHAIRMAN KOUBA: Motion's been made		
ŀ	2	to take it under advisement and make a decision at		
	3	a further date. Is there a second to that Motion?		
	4	MR. SCHROEDER: I second that.	<u>.</u>	
- {	5	CHAIRMAN KOUBA: The Motion has been	!	
1	6	made and seconded. Is there any further		
	7	discussion?		
- 1	8	Hearing none, all those in favor signify by		
- 1	9	saying aye.		
	10	(Various ayes)		
ļ	11	CHAIRMAN KOUBA: Opposed, same sign.		
	12	MR. GILLIGAN: Aye.		
	13	MR. SOLSETH: Aye.]	
	14	MS. AILTS WIEST: Okay. Based on		
	15	that, I believe we'll adjourn the hearing for now		
	16	and the parties will be notified at the time that		
l	17	the Board will make a vote on this decision. We		
	18	would expect that this would just be done perhaps		
	19	by telephonic hearing so you could just join by		
	20	phone, the parties when we make the final decision.		
	21	Following a final decision the Board will issue		
N.	22	written Findings of Fact and Conclusions of Law.		
. 1	23	Any questions?		
	24	MR. JOHNSON: No.		
	25	MR. FRITZ: Thank you for your time.		
			니 	Zo Pago 57 to Pago 5

Word Index			
1	27:18 28:2 29:21 34:9 39:14 41:2 52:1	Actual	[1] 10:13 Attempted
	41 [1] 2:9	[2] 10:24 57:21 Add	[1] 6:10
1 [18] 2:11 3:25 6:25 7:2 9:7 10:3 10:4	45	[2] 41:19 53:12	Attempting
10:7 10:14 11:22 14:18 14:20 20:10	[1] 38:6 48-7A-5	Address [3] 8:23 33:21 39:8	[2] 35:22 36:10 Attorney
39:20 45:14 45:22 57:8 57:9 10	[1] 4:1	Addressed	[3] 1:11 4:10 11:10
[3] 22:10 52:13 52:17	49-7A-1 [1] 54:21	[2] 9:9 47:7	Attorneys [1] 1:20
12 [5] 19:5 19:7 19:10 19:12 19:12	149-7A-17	Adjourn [1] 58:15	August
1323	[1] 5:11	Admitted	[1] 3:24
[1] 39:9	49-7A-18 [1] 4:7	[7] 6:14 11:20 11:21 15:14 16:8 17:8	Aware [6] 7:12 15:19 42:24 43:13 44:1 50:21
14 [1] 2:11	49-7A-19	Advanced	Awful
14787	[1] 4:7	[1] 4:2 Advisement	[1] 24:5 Aye
[1] 34:2 15	49-7A-5 [2] 1:6 3:6	[3] 57:19 57:24 58:2	[3] 58:9 58:12 58:13
[3] 1:9 2:11 3:10	49-7A-8	Afternoon	Ayes
15th	[4] 1:7 3:8 4:4 13:20	[1] 21:3 Afterwards	[1] 58:10
[2] 2:3 59:10 16	5	[1] 19:9	В
[5] 2:12 2:13 2:15 2:19 2:19	5	Ago [2] 27:2 44:23	Backed
17 [4] 2:12 2:13 2:15 2:17	[6] 2:16 17:13 17:21 24:6 24:24 31:16	Ahead	[1] 40:7
18	50 [1] 31:15	[4] 18:25 40:23 45:3 55:22	Backfilled [1] 21:24
[10] 2:8 2:17 23:22 23:24 24:10 28:18	57709-8250	Ailts [60] 1:11 4:22 5:4 5:23 6:13 11:1 11:	Backside
31:4 34:21 51:23 55:4 1:10	[1] 1:20	6 11:19 12:1 12:4 12:8 14:19 14:22	[2] 49:10 49:12
[2] 2:4 3:9	6	15:6 15:12 16:4 16:7 16:21 17:4 17:7 17:22 17:25 18:4 18:19 18:25 19:15	Backyard [1] 36:25
2	6	19:19 25:25 27:23 28:5 29:6 32:9 32:	Bad
2	[17] 2:8 2:18 2:20 2:20 15:25 16:3 21: 21 21:22 31:3 31:8 31:13 46:3 49:9	37:5 37:22 38:15 38:24 39:2 39:7 40:	[1] 21:9 Bailiwick
[38] 2:11 2:12 2:12 2:13 2:15 2:17 2:	49:12 51:9 51:12 51:12	23 41:18 41:21 47:5 48:24 50:9 52:25 53:10 53:20 53:23 54:1 55:19 55:22	[1] 13:12
19 2:20 4:3 16:10 16:12 16:20 17:7 22:4 23:24 24:7 24:9 24:10 26:25 27:	6-2-04	57:15 58:14	Bank
8 31:4 32:1 32:2 34:5 34:10 34:11 34:	[1] 2:19 60	Air	[1] 22:9 Barely
21 35:21 36:8 37:9 37:11 39:15 41:6 41:6 45:22 51:12 57:8 57:9	[1] 31:16	[4] 22:20 26:18 34:24 40:6 Allowed	[2] 28:13 ³ 34:18
2,500	7	[1] 18:21	Based [3] 29:20 53:11 58:14
[1] 39:16	7	Almost [1] 40:3	Become
2-foot [1] 34:16	[4] 2:20 6:6 6:14 47:5	Anderson	[1] 4:20
20	7137	[4] 1:16 3:20 29:19 57:22	Began [1] 8:13
[2] 2:8 20:21 2 0 0 4	[2] 7:16 21:1	Angle [2] 43:3 52:21	Begin
[9] 1:9 2:4 3:10 3:24 9:13 20:21 44:	8	Answer	[3] 3:1 6:4 15:4 Behalf
13 59:11 59:14 20th	8	[2] 43:24 44:24 Anyway	[3] 1:21 17:9 54:3
[1] 7:15	[5] 21:21 21:22 22:10 26:22 52:6 8250	[2] 13:12 32:25	Behind 121 52:18 56:10
21 [2] 9:13 44:12	[1] 1:20	Anyways [1] 56:12	[2] 52:18 56:19 Below
21st	9	Apart	[3] 48:4 49:17 50:3
[1] 59:13	9:30	[1] 41:10	Bench [1] 57:17
24 [3] 23:22 28:18 51:23	[2] 52:13 52:17	Appealed [1] 4:13	Bend
26	A	Appear	[1] 30:20 Best
[1] 2:8		[2] 5:22 37:17 Appearances	[1] 45:20
3	Able [2] 34:18 56:15	[1] 4:23	Bet [3] 40:25 41:5 48:19
3	Above-entitled	Appeared [1] 5:6	Better
[26] 2:13 3:24 16:10 16:13 16:20 17:7 22:3 22:4 24:23 24:24 26:5 26:13 26:	[2] 2:2 59:10 Accept	Appearing	[1] 14:3
14 26:24 27:6 27:8 27:18 27:22 27:24	[3] 6:11 46:14 46:16	[2] 1:21 1:23	Big [5] 34:7 34:9 39:11 39:15 40:6
28:2 29:12 32:1 32:3 34:10 39:15 49:8 3/4-inch	Acceptance	Applicable [1] 55:8	Bill
[1] 7:19	[4] 2:13 16:13 16:15 17:9 Accepts	Area	[4] 7:21 7:22 7:23 12:24
30	[1] 17:Ī	[5] 8:8 30:25 34:7 37:25 49:5	Billy [1] 20:24
[4] 7:20 29:23 29:23 30:4 3 3	Accident [1] 23:5	Arrive [2] 24:16 52:11	Bit
[1] 2:9	Accidentally	Arrived	[8] 27:2 39:19 40:5 41:11 48:19 52:14 52:18 56:19
35 [1] 2:9	[1] 51:10	[3] 9:5 21:3 24:14 Association	Black
38	Accommodate [1] 25:18	[1] 3:21	[2] 46:22 46:22 Blocks
[1] 2:9	According	Assume	[7] 23:15 23:19 23:23 31:4 34:9 34:10
39 [1] 2:9	[2] 44:24 54:10	[2] 22:16 55:10 Atmosphere	39:11
	Accurately [1] 5:10	[1] 21:16	Blowing [9] 7:16 20:19 21:15 22:14 22:18 22:
4	Act	Attached [7] 2:16 12:11 12:18 17:18 20:10 44:	22 27:7 30:4 41:1
4 [19] 2:14 16:10 16:14 16:18 16:20 17:	[1] 4:15 Action	12 59:11	Board [32] 1:2 1:11 2:18 3:14 3:14 4:6 4:17
8 22:3 24:24 26:5 26:22 27:6 27:15	[1] 16:12	Attachments	8:15 9:10 9:16 10:11 10:13 11:12 14:
DDECISION DEDORTH			From 1 to Boar

State Content Conten	Word Index			
Conducted Dated	3 15:22 19:16 28:5 32:10 37:23 38:16			Date 131 3-0 57-25 58-3
Board S				Dated
Display 128 129 150 150 120 120 150 150 120 120 120 120 120 120 120 120 120 12		Changing	[2] 8:13 8:15	
133 136 138 243 259 251 255	[3] 3:23 4:12 4:15 Bobcat			Days [2] 40:13 52:15
14	[13] 7:19 13:24 23:8 25:9 35:19 35:20	[1] 56:5	Considered	DCI
Dock Cheri				
	Book			[1] 51:21
		[3] 1:24 59:5 59:18	Construction	
Decom				
	Boom			
1318 Section 13			Contact	[14] 19:2 19:6 19:10 19:12 19:13 23: 13 24:7 24:9 34:4 34:11 39:15 49:11
Bottom				57:9 57:10
Boox		City	[1] 7:22	Deeper 131 21:22 21:24 55:8
		[9] 1:20 3:16 5:1 6:21 7:17 9:9 20:8		Deeply
		Clarification	Contract	[1] 48:6
Brick 178-901-9-15-41:15-49-8-49- 1 2.88 1 2.89 1 2.89 1 2.99 2.99 1 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99 2.99 1 2.99	Break 131 20:0 20:13 50:6	[1] 32:6		
Clarify 113-62 13-10 1	Brick			Definitely
Daricks 11 324 12 32 32 32 32 32 32 32	[7] 35:24 39:10 39:15 41:15 49:8 49:	Clarify	Contractors	
III 39:14 III 39:14 III 39:12 III 39:13 III				[1] 47:23
Bring	[1] 39:14	[1] 6:5	[1] 28:3	
Broke		Clearly	Control	Delivery
	Broke	19 8:4 13:22 14:9 14:14 32:12 40:13 40:18 40:18 55:15		[5] 6:12 46:24 47:9 47:11 47:23
			[1] 9:24	
Rrowings - Deuel			Conversations	
Closing	Brookings-Deuel			
Signature Clause		Closing	[4] 9:1 11:24 12:1 12:5	131 21:20 54:17 55:4
Bucket	[3] 7:14 49:13 56:19			Description
### Buddy Code	Bucket	[1] 47:25	Correct	
Buddy				[2] 10:24 12:16
Building		Code	Counsel	
II 49-5 Buried Coming (3) 15-13 13-13 10-14 10-17 25-12 Damaged II 15-13 13-13 13-13 13-13 13-13 13-13 13-13 13-13 13-13 13-13 13-13 10-14 10-17 25-12 Damaged II 15-13 13	[1] 43:6		1 T 1	[1] 3:17
Buried [4] 72.5 18.8 18.9 41:15 Bury [3] 26.21 49:20 49:25 Burying [1] 49:20 Burying [1] 49:20 Burying [1] 49:20 Burying [1] 49:20 Commitseo's [1] 16:12 Committee's [1] 15:12 Common [2] 31:15 44:4 Company [3] 15:13 15:13 25:12 20:15 29:18 37:39 41:10 43:12 49:19 49:19 51:8 51:12 54:9 56:23				Different [5] 18:15 18:17 43:2 43:7 50:17
[4] 7:25 18.8 18.9 44:15 Buryy [3] 26:21 49:20 49:25 Burying [1] 49:20 Business [1] 49:2 Commission [3] 6:8 47.8 47:22 Committee's [1] 16:12 Common [2] 13:15 44:4 Compact [2] 13:15 44:4 Compact [2] 13:15 44:4 Compact [2] 13:15 44:5 Compact [2] 13:15 44:4 [2] 13:15 13:20 14:13 14:25 26:15 29: 15:29:18 37:9 4:10 43:12 49:19 49: 15:29: 15:29:18 37:9 4:10 43:12 49:19 49: 15:29: 15:29: 18:37 9: 4:10 43:12 49:19 49: 15:29: 15:29: 18:37 9: 4:10 43:12 49:19 49: 15:29: 15:29: 18:37 9: 4:10 43:12 49:19 49: 15:29: 15:29: 18:37 9: 4:10 43:12 49:19 49: 15:29: 13:29: 14:34 42:9 42:12 [2] 23:15 28:24 Compact [2] 11 13:14 14:20 14:23 15:13 15:14 15: 16: 16: 14: 13: 11 44: 14: 14: 14: 14: 14: 14: 12: 14: 15: 14: 14: 14: 14: 14: 14: 14: 14: 12: 13: 13: 13: 13: 13: 13: 13: 13: 13: 13	Buried			Difficulty
3 36/21 49:20 49:25 2 2:4 4:1 2 2 4:14 4:14 Crap 1 379 4:11 3:13 14:25 26:15 29: 15 29: 18 379 4:11 3:14 3:12 25:15 29: 15 29: 18 379 4:10 43:12 49:19 49: 15 29: 18 379 4:10 43:12 49:19 49: 15 29: 18 379 4:10 43:12 49:19 49: 15 29: 18 379 4:10 43:12 49:19 49: 15 29: 18 379 4:10 43:12 49:19 49: 15 29: 18 379 4:10 43:12 49:19 49: 15 29: 18 379 4:10 43:12 49:19 49: 15 29: 18 379 4:10 43:12 49: 19 5: 18 5: 12 54:9 56:23 56:		[3] 15:13 16:5 40:14	[2] 28:7 29:8	l '
Burying	[3] 26:21 49:20 49:25			[17] 5:15 13:20 14:13 14:25 26:15 29:
	Burving	Commission		
[1] 49:2 Common C Common C Common C Compact C Compact C C C C C C C C C	[1] 49:20 Business			Digging
Case [1] 50:23 Caught [4] 45:24 45:25 57:10 57:12 Cautioned [1] 29] 1: 4 2: 11 3: 3 5: 12 5: 21 7: 3 7: 7 7: [1] 55:7 Cement [2] 31: 14 4::0 44:9 44: 11 44: 12 [2] 13: 13 8: 12 8: 18 Certainly [2] 15: 12 3: 1 3: 13 12 8: 7 28: 14 28: 17 [1] 59:2 Certified [2] 17: 18 Concerned [2] 17: 19 Concerned [2] 17: 19 Concerned [2] 17: 19 Conclude [1] 15: 13 Conclude [1] 11: 12 3: 13: 13: 13: 28: 7 28: 14 28: 17 28: 22 29: 1 29: 53: 22: 33: 33: 45 7: 22 58: Damage Terms of the Wall 14: 13: 52: 17 20: 18 8 13: 81: 13: 13: 13: 12: 14: 14: 13: 52: 17: 20: 18 8 13: 14: 13: 52: 17 20: 18 8 14: 13: 13: 14: 14: 13: 15: 12: 11: 13: 15: 12: 11: 15: 12: 13: 13: 13: 14: 14: 14: 14: 15: 13: 13: 13: 13: 14: 14: 14: 14: 15: 13: 13: 13: 14: 14: 14: 14: 14: 13: 13: 13: 14: 14: 14: 14: 14: 14: 14: 14: 14: 14	[1] 49:2			
Case [I] 50:23 Caught [A] 45:24 45:25 57:10 57:12 Cautioned [I] 55:7 Cement [I] 13:4 14:20 14:23 15:13 15:14 15: [I] 23:15 28:24 Center [I] 4:14 42:20 55:17 Certainly [I] 59:2 Certified [I] 59:2 Certified [I] 59:2 Certified [I] 59:8 Certairman Concerned [I] 59:8 Cenclude [I] 51:13 3:13 28:7 28:14 28:17 Cenclusions [I] 55:13 Complaint [I] 55:20 Cross [I] 2:7 6:3 Cross [I] 2:7 6:3 Cross - examination [I] 2:7 Cross - examination [I] 2:7 Cross - examination [I] 2:7 Cross - examination [I] 5:13 13:14 14:20 14:23 15:13 15:14 15: [I] 59:2 Chairman [I] 59:8 Conclude [I] 51:13 Conclude [I] 51:13 Conclusions [I] 2:10:17:18 Conclusions [I] 10:23 3:6:17 Crews [I] 2:7 26:3 [I] 2:7 2:6:3 [I] 3:13 3:13 28:7 28:14 28:17 [I] 59:8 Conclusions [I] 13:14 10:17 25:12 [I] 59:2 Complations [I] 2:16 17:18 Conclusions [I] 10:14 10:17 25:12 [I] 59:2 Complations [I] 13:13 5:12 5:25 57:3 57:8 57:9 Dimensions [I] 2:16 Cross [I] 2:7 [I] 2:7 Cross - examination [I] 2:7 [I] 2:7 Cross - examination [I] 2:7 [I] 5:13 6:15 20:1 33:22 [I] 14:16 2:16 12:18 10:12 20:3 35:6 41:23 [I] 4:16 2:16 12:18 10:12 2:15 13:13 2:12 [I] 4:16 Cross - examination [I] 4:12 8:6 26:3 35:6 41:23 [I] 5:13 0:11 2:11 10:12 10:15 0:13 3:12 [I] 4:16 Cross - examination [I] 5:13 0:11 2:11 10:12 1:16 10:12 [I] 4:16 Cross - examination [I] 5:13 0:11 2:11 10:12 1:16 10:12 [I] 4:16 Cross - examination [I] 5:13 0:16 50:13 3:22 [I] 5:13 0:13 3:13 3:13 3:13 3:13 3:13 3:13 3	C	Common	Crew	8 43:8 43:9 43:11 48:5 48:7 48:15 51:
Case [1] 50:23 Caught [4] 45:24 45:25 57:10 57:12 Cautioned [1] 55:7 Cement [2] 1:4 2:11 3:3 5:12 5:21 7:3 7:7 7: [1] 55:7 Center [3] 4:3 8:12 8:18 Certainly [2] 54:20 55:17 CERTIFICATE [1] 59:2 Certified [2] 2:16 17:18 Concerning [1] 5:13 Conclude [1] 14:11 Conclusions [2] 15:23 58:22 Chairman [15] 1:12 3:1 3:13 28:7 28:14 28:17 28:22 29:1 29:5 32:23 33:4 57:22 58: [2] 15:23 58:22 Crews [3] 7:17 9:5 18:15 Cross [2] 2:17 26:3 Cross-examination [5] 4:12 18:6 26:3 35:6 41:23 Cross-examination [5] 4:12 18:6 26:3 35:6 41:23 Cross-examination [5] 4:12 18:6 26:3 35:6 41:23 Curve [2] 23:11 30:12 Curve [2] 30:11 30:12 Curve [2] 30:11 30:12 [2] 12:6 26:6 30:9 30:15 30:16 Directly [1] 1:17 Directly [1] 1:18 [55] 23:9 23:21 23:23 25:11 26:15 26: 18 28:18 28:23 28:25 29:4 32:19 37: 18 3:13 28:25 29:4 32:19 37: 18 3:13 3:20 5:1 57:67:6:21 7:67:7 8:17 9:9 15:22 40:9 40:9 44:2 47:7 48:2 54:4 54:6 59:1 59:7 59:13 54:15 65:10 56:			[8] 12:19 12:24 13:4 13:5 20:17 20:18 20:23 36:17	
Caught [4] 45:24 45:25 57:10 57:12 Cautioned [1] 55:7 Cement [2] 1: 4 2: 11 3: 3 5: 12 5: 21 7: 3 7: 7 7: 9 7: 14 9: 15 10: 4 11: 23 12: 5 12: 6 12: 2 12: 23: 15 28: 24 Center [3] 4: 3 8: 12 8: 18 Certainly [2] 54: 20 55: 17 Certified [1] 59: 2 Certified [2] 2: 16 17: 18 Certify [1] 59: 8 [2] 2: 16 17: 18 Certify [1] 59: 8 [1] 59: 2 Chairman [1] 5: 13 Conclude [1] 5: 13 Conclude [1] 1: 12 3: 13 13: 28: 72 8: 14 28: 17 28: 22 29: 1 29: 5 32: 23 33: 4 57: 22 58: 22 Complaint [2] 1: 20: 15 54: 4 54: 13 Cross [2] 2: 7 26: 3 Cross - examination [5] 4: 12 18: 6 26: 3 35: 6 41: 23 Cross - examination [5] 4: 12 18: 6 26: 3 35: 6 41: 23 Curve [5] 4: 12 18: 6 26: 3 35: 6 41: 23 Curve [5] 4: 12 18: 6 26: 3 35: 6 41: 23 Curve [5] 30: 11 30: 12 Curve [1] 130: 12 Cut [5] 22: 6 26: 6 30: 9 30: 15 30: 16 Director [1] 1: 17 Director [2] 21: 6 17: 18 Concerned [2] 7: 9 10: 1 [2] 21: 6 17: 18 Concerning [1] 5: 13 Conclude [1] 5: 13 Conclude [1] 14: 11 Damage [1] 14: 11 Damage [1] 15: 23: 13: 13: 28: 7 28: 14 28: 17 Damaged [1] 15: 27 Director [1] 13: 13: 13: 13: 23: 25: 11 26: 15 26: 18 28: 18 28: 23: 23: 23: 23: 23: 23: 23: 23: 23: 23		[2] 51:19 56:22	Crews	Dimensions
Cautioned [1] 55:7 Cement [2] 1:4 2:11 3:3 5:12 5:21 7:3 7:7 7: [29] 1:4 2:13 3:3 5:12 5:21 7:3 7:7 7: [29] 1:4 2:13 3:3 5:12 5:21 7:3 7:7 7: [29] 1:4 2:13 3:3 5:12 5:21 7:3 7:7 7: [20] 1:4 2:13 13:3 5:12 5:21 7:3 7:7 7: [20] 1:4 2:13 13:3 5:12 5:21 7:3 7:7 7: [21] 23:15 28:24 [22] 23:15 28:24 [23:11 44:6 44:9 44:11 44:12 [23:13 3:12 8:18 [24:15 44:24 [23:13 3:12 8:18 [23:11 30:12 [24:15 44:24 [24:15 44:24 [24:15 44:24 [25:26 26:6 30:9 30:15 30:16 [27] 20:11 30:12 [28:26 26:6 30:9 30:15 30:16 [28:28:18 28:23 28:25 29:4 32:19 37: [28:28:18 28:23 28:25 29:4 32:19 37: [28:28:18 28:23 28:25 29:4 32:19 37: [28:28:18 28:23 28:25 29:4 32:19 37: [28:28:28:28:28:28:28:28:28:28:28:28:28:2	Caught	Company [6] 1.21 3.3 10.21 20.15 54.4 54.13		
[1] 55:7 Cement Cement [2] 1:4 9:15 10:4 11:23 12:5 12:6 12: [2] 23:15 28:24 Center [3] 4:3 8:12 8:18 Certainly [2] 54:20 55:17 Certified [1] 59:2 Certified [2] 7:9 10:1 Certify [1] 59:8 Chairman [15] 1:12 3:1 3:13 28:7 28:14 28:17 28:22 29:1 29:5 32:23 33:4 57:22 58: [2] 15:23 58:22 Cross-examination [5] 4:12 18:6 26:3 35:6 41:23 Curve [2] 30:11 30:12 Curve [2] 30:11 30:12 Cut [5] 22:6 26:6 30:9 30:15 30:16 Directly [1] 49:6 Directly [1] 49:6 Directly [1] 1:17 Dirt [55] 22:6 26:6 30:9 30:15 30:16 Directly [1] 1:17 Dirt [55] 23:9 23:21 23:23 25:11 26:15 26: [1] 1:17 Dirt [55] 23:9 23:21 23:23 25:11 26:15 26: [1] 1:17 Dirt [55] 23:9 23:21 23:23 25:11 26:15 26: [1] 1:17 Dirt [55] 23:9 23:21 23:23 25:11 26:15 26: [1] 1:17 Dirt [55] 23:9 23:21 23:23 25:11 26:15 26: [1] 18:13 13:13 20:15 57:67 6:21 7:677 [1] 5:13 Concerned [1] 5:13 Concerning [1] 5:13 Conclude [1] 14:11 Damage [1] 14:11 Conclusions [2] 15:23 58:22 Damaged Discussion [1] 29:25 20:25 32:25 50:		Complaint	[2] 2:7 26:3	[1] 2:7
Center 11 13:14 14:20 14:23 15:13 15:14 15: Curve [2] 30:11 30:12 Curve [3] 4:3 8:12 8:18		[29] 1:4 2:11 3:3 5:12 5:21 7:3 7:7 7: 0 7:14 0:15 10:4 11:23 12:5 12:6 12:	Cross-examination	DIRECT
16 16:14:32:11 44:6 44:9 44:11 44:12	Cement	11 13:14 14:20 14:23 15:13 15:14 15:	Curve	
[3] 4:3 8:12 8:18 Certainly [2] 54:20 55:17 CERTIFICATE [1] 59:2 Certified [2] 2:16 17:18 Concerning CERTIFY [1] 5:13 Conclude Chairman [15] 1:12 3:1 3:13 28:7 28:14 28:17 [28:22 29:1 29:5 32:23 33:4 57:22 58: [2] 15:23 58:22 Cut			[2] 50.11 50.12	[1] 49:6
Certainly [2] 54:20 55:17 Completion [1] 24:14 Concerned [2] 7:9 10:1 Concerning 12 3:13 3:20 5:1 5:7 6:7 6:21 7:67.7 Conclude [1] 59:8 Chairman [15] 1:12 3:1 3:13 28:7 28:14 28:17 Conclusions [2] 15:23 58:22 Damage [2] 15:23 58:22 Damaged Damage Dirt [55] 23:9 23:21 23:23 25:11 26:15 26: 18 28:18 28:23 28:25 29:4 32:19 37:	[3] 4:3 8:12 8:18	Completely		
CERTIFICATE [1] 59:2 Certified [2] 7:9 10:1 Certify CERTIFY [1] 59:8 Chairman [15] 1:12 3:1 3:13 28:7 28:14 28:17 28:22 29:1 29:5 32:23 33:4 57:22 58: [2] 15:23 58:22 [2] 15:23 58:22 [2] 15:23 58:22 [2] 24:14 Concerned [2] 7:9 10:1 Concerning [2] 1: 1: 2 1:11 1:20 2:3 3:6 3:8 3: [2] 29] 1: 1: 2 1:11 1:20 2:3 3:6 3:8 3: [2] 29] 1: 1: 2 1:11 1:20 2:3 3:6 3:8 3: [2] 29] 1: 1: 2 1:11 1:20 2:3 3:6 3:8 3: [2] 29] 1: 1: 2 1:11 1:20 2:3 3:6 3:8 3: [2] 29] 1: 1: 2 1:11 1:20 2:3 3:6 3:8 3: [2] 3:13 3:20 5:1 5:7 6:7 6:21 7:67:7 [2] 3:13 3:20 5:1 5:7 6:7 6:21 7:67:7 [2] 48:13 48:15 48:16 48:20 48:21 49:13 [1] 59:8 Conclude [1] 14:11 Damage [1] 14:11 Conclusions [2] 15:23 58:22 Damaged Discussion [1] 59:37				Dirt
Concerned Certified [2] 7:9 10:1 Concerned [2] 1:1 1:2 1:11 1:20 2:3 3:6 3:8 3: Cartified [2] 1:16 17:18 Concerning Cartified Concerning Cartified Concerning Cartified Concerning Cartified Concerning Cartified Concerning Cartified	CERTIFICATE	[1] 24:14		[55] 23:9 23:21 23:23 25:11 26:15 26: 18 28:18 28:23 28:25 29:4 32:19 37:
[2] 2:16 17:18 CERTIFY [1] 5:13 Concerning [1] 5:13 Conclude [1] 14:11 Conclusions [2] 2:16 17:67 6:21 7:67.7 S43:5 43:7 45:14 45:18 45:22 48:10 S43:5 43:7 45:14 45:18 45:12 45:11 S43:5 43:7 45:14 45:18 45:12 48:10 S43:5 43:7 45:14 45:18 45:17 S43:5 43:7 45:14 45:18 45:17 S43:5 43:7 45:14 45:18 45:18 45:12 48:10 S43:5 43:7 45:14 45:18 45:18 48:10 S43:5 43:7 45:14 45:18 48:10 S				11 38:1 38:2 39:19 39:20 40:2 40:5
CERTIFY [1] 59:8 Chairman [15] 1:12 3:1 3:13 28:7 28:14 28:17 28:22 29:1 29:5 32:23 33:4 57:22 58: [2] 15:23 58:22 [1] 5:13 Conclude [1] 14:11 Conclusions [2] 15:23 58:22 [2] 15:23 58:22 [3] 10:14 10:17 25:12 Damage [1] 10:14 10:17 25:12 Discussion [1] 15:13 48:13 48:15 48:16 48:20 48:21 49:13 50:4 51:16 51:18 51:22 52:3 52:5 52: 19 52:22 52:23 54:24 55:14 56: 13 56:16 56:19 56:20 56:21 57:4 Discussion [1] 5:13 Conclude [1] 14:11 Conclusions [2] 15:23 58:22 Damaged Discussion [1] 5:13 50:4 51:16 51:18 51:22 52:3 52:5 52: 19 52:22 52:23 54:24 55:14 56: 13 56:16 56:19 56:20 56:21 57:4 Discussion [1] 5:13 Conclude [1] 14:11 Conclusions [2] 15:23 58:22	[2] 2:16 17:18		12 3:13 3:20 5:1 5:7 6:7 6:21 7:6 7:7	5 43:5 43:7 45:14 45:18 45:22 48:10
Chairman [15] 1:12 3:1 3:13 28:7 28:14 28:17 [28:22 29:1 29:5 32:23 33:4 57:22 58: [2] 15:23 58:22 Damage 19 52:21 52:22 52:23 54:24 55:14 56: 13 56:16 56:19 56:20 56:21 57:4 Discussion [2] 15:23 58:22 Damaged Discussion [1] 18:11 Damaged 19 52:21 52:22 52:23 54:24 55:14 56: 13 56:16 56:19 56:20 56:21 57:4 Discussion [1] 15:23 58:22		[1] 5:13		48:13 48:15 48:16 48:20 48:21 49:13
[15] 1:12 3:1 3:13 28:7 28:14 28:17 28:22 29:1 29:5 32:23 33:4 57:22 58: [2] 15:23 58:22 [3] 10:14 10:17 25:12 [3] 10:14 10:17 25:12 [4] Damaged [5] 15:23 58:21 [6] 17:83.7			Damage	19 52:21 52:22 52:23 54:24 55:14 56:
1 50.5 50.11	[15] 1:12 3:1 3:13 28:7 28:14 28:17	Conclusions		
(130.330.11 (Congrete (III 10:17 (III 10:17	28:22 29:1 29:5 32:23 33:4 57:22 58: 1 58:5 58:11	[2] 15:23 58:22 Concrete	Damaged [1] 10:17	[1] 58:7
Chambers 11 29:4 Dangerous Distance	Chambers	[1] 20.4	Dangerous	
[7] 1:13 3:16 38:4 49:4 49:10 50:8 52:			[2] 18:13 22:16	From Board to Distanc

Word Index [1] 29:24 [3] 12:16 23:2 43:21 [1] 5:22 [1] 31:8 Disturb Erhart Failing Folks [1] 4:4 [1] 53:3 [4] 2:9 33:16 33:25 35:8 [1] 45:16 Escaping Failure Following Disturbed [2] 22:14 40:6 [9] 1:5 1:6 3:4 3:6 5:14 5:15 13:20 54: [1] 58:21 [1] 25:1 7 54:9 Follows Establish Docket [4] 6:3 19:24 33:18 39:6 Faint [1] 54:6 [1] 3:2 [4] 24:25 28:12 32:13 32:20 Established Foot Document [27] 26:13 26:14 26:22 26:22 27:15 Fair [4] 10:23 12:7 12:11 17:14 [1] 38:1 27:22 34:10 34:10 34:11 34:15 34:21 [1] 31:8 Documents Everywhere 39:14 39:15 39:15 41:2 41:6 41:6 41: [1] 16:23 [2] 40:17 45:8 Fairly 8 46:3 49:9 51:9 51:11 51:12 51:12 [5] 23:17 27:5 29:3 30:1 31:5 Evidence Done 51:12 52:1 52:6 [14] 7:24 8:10 11:11 11:14 15:5 25:12 Fall [8] 15:8 18:21 28:2 54:5 55:24 55:25 Foreman 56:1 57:23 33:2 37:1 39:24 40:15 45:10 50:16 56: [1] 45:21 [3] 12:24 20:24 24:15 9 58:18 Familiar Evident Form [1] 43:17 Doubt [1] 14:9 [2] 10:16 10:21 [1] 54:25 Evidentiary Far Forward [3] 22:20 24:22 29:9 [1] 4:17 Doug [1] 57:24 Fault [2] 1:15 3:18 Exact Foundation [4] 8:1 40:4 51:14 53:17 Down [1] 23:16 [4] 23:21 24:1 27:15 28:21 [5] 37:3 39:12 41:5 42:20 56:20 Favor Exactly Four [3] 14:1 24:22 45:8 Downhill [1] 58:8 [1] 52:15 [2] 36:25 41:7 EXAMINATION Feet Friend [29] 22:3 22:4 23:24 24:6 24:7 24:9 Downstream [5] 6:15 20:1 26:3 33:22 38:18 [2] 35:11 35:14 24:10 24:23 24:24 26:5 26:24 26:25 [4] 22:5 22:12 26:6 26:12 Excavate 27:6 27:8 27:18 27:19 27:24 28:2 29: Fritz Drive [2] 41:14 43:15 12 29:21 31:3 31:4 31:8 31:13 31:16 [43] 1:19 4:25 4:25 5:9 5:25 6:4 6:16 [2] 34:2 39:9 Excavated 32:1 32:3 34:9 49:12 11:10 12:10 12:11 14:17 15:15 16:2 Dropped [1] 30:25 16:20 16:25 17:3 17:21 18:2 19:17 19: Felt [1] 42:20 Excavating 18 19:21 20:2 25:23 33:6 33:7 33:9 [1] 7:24 Due [6] 7:18 8:8 8:13 34:7 37:1 55:18 33:10 35:5 35:7 37:20 39:1 41:21 41: Fences 22 41:24 47:6 48:22 53:24 53:25 54:2 [1] 55:5 Excavation [1] 51:7 [16] 1:6 3:5 4:1 7:10 10:1 14:12 14: 54:3 56:2 56:8 58:25 Dug Few [6] 8:3 21:23 37:8 41:5 41:8 54:17 13 23:3 23:12 23:19 24:20 36:20 37: Front [1] 39:24 17 54:20 54:22 55:13 [4] 7:1 23:9 24:1 45:23 Duly Field Excavator [5] 5:20 6:2 19:23 33:17 39:5 Front-end [1] 49:24 [3] 43:14 50:23 50:24 [2] 25:7 54:25 Duly-appointed Figured [1] 59:8 Excavators Ft [2] 40:1 44:4 [1] 55:6 [2] 2:3 3:12 Dumbfounded File Executive [1] 44:10 Full [3] 7:7 7:14 13:13 [1] 1:17 [2] 6:17 20:3 During Filed Exhibit [1] 9:25 Fused [7] 1:4 3:3 5:12 7:3 7:5 7:9 15:16 [22] 2:10 6:6 6:14 6:25 7:2 9:7 10:3 [1] 26:24 10:4 10:14 11:20 11:22 11:22 14:17 14:20 15:25 16:2 16:12 16:13 16:14 Fill \mathbf{E} Future [3] 10:3 10:16 42:21 [2] 56:10 57:25 17:13 20:10 47:5 Filled Ed Exhibits [1] 49:16 [2] 1:16 3:20 G [2] 16:10 17:7 Edge Final Expect [4] 4:13 4:20 58:20 58:21 [2] 27:4 31:7 Gain [1] 58:18 Findings [1] 54:15 Either [2] 25:4 54:1 Expected [3] 2:12 16:13 58:22 Gas [46] 5:16 6:23 7:16 7:20 10:19 10:22 12:12 13:21 18:8 18:9 20:7 20:18 21: 15 21:15 22:2 22:14 22:18 22:22 24:6 [1] 55:8 Fingers Electric Experience [1] 18:12 [1] 3:20 [2] 15:15 29:20 Finish Electrical 27:7 27:8 29:21 30:1 30:4 30:6 35:1 Expired [1] 44:4 [1] 49:21 40:1 40:19 41:15 42:4 42:9 42:17 42: [1] 45:9 Fire Elm 19 42:24 48:4 48:11 48:12 48:17 49:5 Explain [5] 20:25 21:6 36:13 40:8 40:11 [1] 8:22 49:11 49:18 54:10 55:14 55:18 56:24 [5] 10:13 11:8 12:12 14:3 51:20 First Embankment 56:24 Explanation [18] 5:24 6:2 11:7 11:9 13:2 19:23 20: [1] 32:2 Gene 17 21:12 33:15 33:17 38:20 39:5 39: [1] 5:9 Employ [2] 1:14 3:19 10 40:10 41:9 44:10 49:17 52:16 [1] 20:14 Expose Gentleman Fit [10] 1:6 3:7 4:4 5:15 13:25 14:14 29: Employee [2] 46:10 46:21 15 29:18 50:25 51:13 [3] 23:19 31:6 52:20 [2] 35:8 35:13 Gifford Fitter Exposed Employees [2] 12:24 20:24 [14] 8:3 22:4 22:21 26:12 26:17 27:7 [2] 20:7 20:14 [1] 21:8 Gilligan 29:15 29:21 30:4 31:10 31:12 31:22 Five End [6] 1:14 3:17 32:5 38:8 38:12 58:12 50:2 56:16 [1] 49:3 [3] 26:25 45:23 46:11 Given Express Fix Energy [1] 43:12 [2] 2:2 3:11 [1] 36:17 [1] 3:17Golden Extent Fixed Enforcement [1] 3:15 [2] 47:23 54:22 [3] 25:15 25:16 57:12 [1] 16:12 Grab Extra Flags Engineer [2] 50:5 57:4 [1] 12:4 [2] 40:17 42:8 $[1] \bar{5}:13$ Grade Flail Englerth [1] 38:1 F [2] 30:2 30:6 [2] 1:17 12:7 Grass Flailing Enter Facilities [1] 37:25 [4] 26:7 26:14 34:24 52:7 [1] 57:23 [3] 10:17 55:5 55:7 Graze Flapping Entire Facility [1] 57:7 [1] 41:2 [1] 14:23 [2] 5:16 14:14 Green Flat Envelope Fact [1] 47:19 [4] 23:25 39:18 42:22 56:21 [1] 47:4 [6] 9:20 14:6 22:2 43:13 50:22 58:22 Ground Flopping Equipment [23] 22:13 24:18 26:23 27:8 32:16 34:

1	Vord Index			
E	34:14 34:20 34:21 36:8 37:12 39:17 10:25 41:2 41:4 42:7 43:8 43:9 45:16			Laws [1] 44:1
	6:1 46:3 48:15 52:7	[20] 24:1 26:14 26:15 27:10 27:12 27:	[1] 20110	Lay [1] 51:18
	G 22:10 28:11 31:8 36:11 47:12 57:	14 27:20 27:25 28:2 28:19 30:21 31:7 36:16 36:24 42:20 47:18 49:18 49:25		Leading
- 1	16	Huge	[1] 1:19	[1] 24:21 Leak
	3uy [7] 40:13 40:21 40:24 46:21 53:6 53:7	[1] 39:13	January	[2] 10:19 10:22
	56:12 Guys	HUGHES [1] 59:3	Jerry	Lean [1] 45:21
	[5] 19:11 28:1 49:23 53:18 55:23	Hung [1] 9:25	[2] 1:16 3:15 Jim	Least [1] 44:7
ſ	Н	Hurt	[9] 2:8 2:13 2:18 5:3 5:13 6:1 6:19 6: 20 15:15	Leave
ŀ	Half	[1] 21:14	Job	[1] 25:15 LEBRUN
	[3] 39:20 40:2 49:3 Hand	I	[10] 18:10 18:11 38:21 45:11 50:12 50:13 50:14 50:18 50:19 52:17	[1] 1:19
1	[22] 8:3 13:20 13:25 14:13 14:25 21:	Identified	Jobs [1] 39:10	Left [2] 32:2 41:10
	23 23:10 23:17 29:15 29:17 41:10 42: 25 47:23 50:2 50:24 51:8 51:13 52:18	[1] 10:19 Identify	Jog	Legitimate [1] 55:10
	54:9 56:22 56:23 56:23 Hand-delivered	[1] 7:2 Imagine	[1] 30:18 Johnson	Lehner
	[1] 6:11	[1] 54:23	[91] 1:5 1:22 2:9 2:15 2:19 3:4 3:25 4: 3 5:5 5:20 6:8 7:4 7:10 7:11 7:18 7:	[3] 1:13 3:16 49:1 Length
	Handle [1] 23:17	Immediate [1] 56:10	l 22 8:23 9:3 9:6 9:8 9:20 9:23 11:2 11:	[1] 34:8
	Hands [1] 12:7	Immediately	3 11:18 11:24 12:3 12:7 13:24 14:9 14:21 14:24 15:7 15:10 16:3 16:5 16:	Less [1] 19:12
	Handwritten	[2] 40:7 49:16 Imposed	6 16:22 16:24 17:2 17:5 17:6 17:18 17:23 17:24 18:4 18:7 18:20 18:23 19:	Letter [5] 2:18 9:8 9:13 9:15 44:12
	[1] 9:7 Hard	[1] 4:6	1 19:14 21:17 22:11 22:23 24:3 24:16 25:4 25:9 25:25 26:2 26:4 26:19 28:4	Level
	[2] 43:23 54:23	In-house [3] 10:15 10:16 10:20	33:11 33:13 33:20 33:23 35:3 35:19 37:1 37:18 38:17 38:19 38:23 39:3 39:	[5] 36:11 39:22 40:3 43:7 56:20 Leveled
	Head [5] 11:18 16:6 27:21 33:13 43:24	Inch [6] 39:20 39:20 40:2 40:2 45:14 54:24	1 4 39:9 41:25 53:13 53:21 53:22 54:11	[2] 31:7 32:21
	Hear [1] 35:1	Inches	54:18 55:3 55:19 55:21 55:23 56:3 56: 6 56:11 58:24	Leveling [2] 22:11 23:18
	Heard	[26] 19:5 19:7 19:10 19:12 19:13 21: 21 21:22 22:10 23:23 23:24 24:10 28:	Johnson's [6] 5:14 9:13 16:16 17:10 35:8 55:16	Liar [1] 54:13
	[2] 40:6 42:3 Hearing	18 28:18 31:15 31:16 34:5 34:21 35: 21 36:9 37:9 37:11 45:22 46:3 51:23	Join	Lie
	[25] 2:16 2:20 3:2 3:11 3:22 3:23 3: 24 3:25 4:19 4:21 5:21 5:22 6:9 15:	57:9 57:9 Incident	[1] 58:19 Josh	[2] 52:8 54:15 Line
	17 16:9 17:11 17:16 44:9 46:15 46:20	[4] 10:18 13:3 14:8 37:18	[7] 2:8 5:3 12:21 19:22 20:5 20:6 20:	[71] 1:7 3:7 4:5 7:20 7:25 8:2 8:4 8:4 8:6 9:5 10:25 12:20 13:1 13:21 13:22
	47:24 49:23 58:8 58:15 58:19 Heavy	Inclined [1] 43:3	Jumped	13:25 14:2 14:6 18:8 18:9 18:17 20:
	[1] 3:21	Incredible	[1] 40:8 June	19 21:18 21:22 22:2 23:6 23:21 24:5 24:8 24:11 26:6 27:8 28:18 28:24 29:
	Held [2] 2:1 15:17	[1] 54:12 Indentation	[1] 15:21	9 29:21 30:9 30:9 30:12 30:14 31:25 32:12 32:13 32:18 39:13 40:1 40:1 40:
	Helping [1] 53:5	[1] 27:13 Indicate	Jurisdiction	19 41:12 41:14 41:15 42:4 42:9 42:17
	HEREBY	[2] 9:6 44:15	K	49:6 49:11 50:2 50:5 50:25 51:7 54: 10 55:14 55:18 56:24 56:24
	[1] 59:8 High	Indicated [4] 9:4 9:7 14:4 14:5	Keep	Line's
	[3] 39:15 49:4 49:6 Hill	Indicates	[2] 9:1 43:20	[2] 49:18 57:1 Lines
	[11] 23:19 23:23 27:5 27:5 29:12 30:	[1] 9:15 Indicating	Kevin [3] 1:12 3:13 21:9	[2] 24:6 40:12
	13 31:5 41:6 41:7 48:10 49:13 Hills	[3] 46:10 50:4 52:24 Indication	Kids [1] 50:4	Live [3] 6:20 34:1 34:2
	[1] 3:19	[1] 9:20	Kind	Loader [12] 7:19 13:25 23:4 23:7 23:8 23:9
	Hillside [1] 24:2	Individual [1] 44:25	[2] 10:1 35:23 Knows	25:7 31:11 36:13 40:7 54:25 57:6
	Hirschberger	Information [2] 10:10 24:15	[2] 56:13 57:6	Loaders [1] 31:14
	Hit	Informed	Kouba [14] 1:12 3:1 3:13 28:7 28:14 28:17	Locate
	[23] 8:1 8:6 13:1 18:16 21:18 22:2 22: 5 23:6 24:24 25:6 25:8 25:10 31:17	[1] 8:19 Inn	28:22 29:1 29:5 32:23 33:4 58:1 58:5 58:11	10 33:2 45:6 55:16 55:17 55:25 56:4
	31:20 34:13 34:23 36:2 36:6 37:18 38: 6 50:1 51:10 57:13	[2] 2:2 3:11	L	- 56:8 Located
	Hits	Insisted [3] 15:2 45:2 50:15	Labor	[4] 8:4 13:23 14:8 15:1 Locates
	[1] 36:12 Hold	Install	[1] 12:16	[10] 8:3 9:17 9:18 15:2 15:3 15:4 15:
	[1] 39:12 Hole	[1] 19:7 Investigate	Landscaping [3] 9:9 19:8 42:1	5 44:18 51:6 56:7 Location
	[3] 22:20 23:13 54:17	[3] 13:16 21:10 36:17 Investigation	Large	[2] 3:10 28:10
	Holiday [2] 2:2 3:11	[11] 8:2 8:10 8:13 8:16 13:19 13:22	[3] 23:15 23:17 30:25 Larry	Locator [1] 8:5
	Home	14:11 20:16 33:1 55:15 56:9 Irresponsible	[3] 1:17 46:22 46:22	Locators [3] 8:20 8:21 8:22
	[1] 23:22 Homeowner	[1] 50:6	Larson [17] 1:12 1:15 3:18 3:21 29:8 29:14	Look
	[14] 9:18 15:2 15:3 24:13 24:14 24:16 35:25 38:12 44:19 44:21 45:2 45:5 50:	Issue [2] 4:5 58:21	30:7 30:14 30:18 30:22 37:24 38:3 5 11 50:20 53:2 53:5 53:9	0: [2] 27:4 33:1 Looked
1	14 55:15	Issued [1] 3:24	Last	[6] 12:14 22:10 23:5 31:1 31:24 56:1
	Horizontal	Issues	[1] 9:7 Law	Looking [3] 27:10 32:17 32:18
	Hour	[1] 3:24	[6] 1:20 3:6 3:8 43:17 54:6 58:22	From Ground to Looking
	PRECICION REPORT	ue ite		

Missing

[1] 42:21

[7] 2:16 3:23 5:20 6:5 17:16 46:20 47:

Noticed

[4] 10:24 12:12 12:14 12:15

Overrule

[4] 10:10 24:20 39:12 55:1

Place

Ripped Redirect Pull Plaid [1] 34:21 [3] 19:17 33:6 38:18 [1] 34:14 [1] 46:10 Riser Reflect Pulled Plastic [4] 24:21 24:23 24:23 25:3 [2] 5:5 5:19 [4] 27:2 46:1 46:2 52:23 [2] 22:22 27:6 Road Refused Purpose [7] 6:11 7:21 7:22 46:14 46:16 46:18 47:10 Play [4] 21:1 27:3 27:4 36:16 [1] 36:9 111 50:5 Rock Pursuant Point [2] 39:22 51:19 Regard [9] 12:5 14:7 15:12 18:5 18:19 29:2 [3] 3:23 4:7 5:11 [5] 6:5 13:19 14:12 14:13 23:3 Rolayne Pushing 33:19 55:2 57:16 [2] 1:11 4:15 Regarding [4] 1:5 3:4 15:23 44:2 [3] 42:17 43:2 43:5 Position Role [3] 48:3 48:5 55:11 P11 t. [2] 20:15 35:15 [14] 15:8 18:21 19:12 22:21 39:21 39: 22 41:12 42:22 45:11 45:15 49:14 51: Region Possibility Room [1] 6:23 [1] 21:13 [1] 3:11 5 51:6 51:19 Registered Possibly [5] 6:10 46:17 47:13 59:5 59:19 Roughly Putting [1] 37:19 [1] 34:10 [3] 21:19 35:24 39:10 Regulations Pounds RPR [1] 19:1 [2] 30:4 39:16 [1] 1:24 Reject Practices Rulings [1] 17:1 [2] 7:10 10:1 Quarterhorse [4] 4:16 4:18 4:19 4:20 Rejection Preliminary [1] 34:2 [3] 2:14 16:17 17:10 Rural [2] 4:18 4:19 Questions [2] 3:18 3:20 Relatively [33] 11:11 11:12 11:13 11:17 18:2 18: 5 18:20 18:24 19:16 25:24 26:1 28:6 29:7 29:9 32:10 32:22 33:6 33:20 35: Present [2] 30:9 39:18 [2] 3:14 4:9 S Releasing Presented 4 37:20 37:22 38:16 38:17 38:23 38: 25 48:23 48:25 50:8 50:10 53:1 53:11 [1] 21:15 Safe [1] 54:5 Relevant [1] 21:13 Presiding 53:12 58:23 [1] 32:24 Sand [1] 3:22 Remember Quote [1] 24:7 Pressure [1] 47:12 [1] 55:4 Sanders [1] 29:24 Remove Qwest [11] 2:8 5:3 12:21 13:5 13:9 13:18 19: 21 19:22 20:3 20:5 46:7 Prestwick [1] 3:19 [1] 45:14 [2] 7:16 21:1 Removed Saw Prestwick's [6] 23:23 26:18 28:24 29:2 51:22 52:3 R [2] 27:5 36:2 [1] 37:24 Repair Scared Pretty [6] 9:5 10:20 10:25 12:17 12:19 24:11 Rained [3] 9:4 9:6 18:13 [1] 18:17 [3] 40:15 52:14 52:15 Repaired Previous Scene Ralph [1] 20:19 [5] 20:19 21:12 25:8 25:15 36:20 [5] 8:5 14:6 28:9 29:22 33:2 [1] 21:9 Repairing Schroeder Previously Ran [2] 21:23 24:4 [3] 1:16 3:15 58:4 [1] 13:23 [1] 57:6 Repairs Scott Pro Rapid [1] 24:15 [3] 2:9 33:16 33:25 [12] 1:20 5:1 6:12 6:21 7:17 9:9 20:8 [1] 1:23 Report 20:25 39:9 46:23 47:9 47:23 Scour Probable [5] 10:14 10:17 10:20 10:20 18:15 [3] 15:16 15:18 16:9 [1] 32:16 Rate Reported Scrape Problem [1] 44:24 [1] 1:24 [5] 7:23 14:25 48:6 48:9 50:1 [2] 18:12 39:19 Read Reporter Scraped [3] 9:16 11:4 44:3 Problems [3] 59:6 59:9 59:19 [3] 22:13 56:18 56:21 [1] 45:19 Real Reports Scraping Procedural [2] 28:12 41:3 [3] 13:9 13:10 13:10 [2] 40:2 54:22 [1] 4:16 Reason Represented SDCL Proceed [1] 50:18 [1] 4:10 [7] 1:6 1:7 4:1 4:3 4:7 5:11 13:20 [1] 24:11 Rebuttal Request Se Proceedings [1] 53:24 [3] 8:25 13:23 14:4 [4] 1:9 2:1 59:9 59:12 Receipt [1] 1:23 Require Searched Process [2] 2:17 17:20 111 55:9 [3] 14:1 21:23 25:16 [2] 8:24 9:1 Receive Required Second Produce [1] 15:21 [4] 1:6 1:7 3:5 3:8 [3] 49:17 58:3 58:4 [1] 8:22 Received Residence [5] 11:20 16:3 16:23 17:16 44:5 Seconded Professional [3] 14:5 21:1 56:10 [1] 58:6 [2] 59:6 59:19 Recent Responded Secondly Proof [1] 28:15 [1] 7:17 [1] 54:8 [1] 47:17 Recently Responder See Properly [1] 29:3 [1] 13:2 [27] 7:22 9:17 13:25 21:10 21:17 22: [4] 1:6 3:7 4:4 5:15 Recognize Responsibility 23 23:2 25:1 27:3 28:16 28:24 32:16 Property [1] 17:14 32:17 32:18 33:1 34:6 34:15 34:17 36 [1] 50:22 [3] 10:16 45:8 57:2 Recollection 17 38:8 38:10 40:16 40:16 48:17 48: Rest Propose [1] 34:4 [2] 22:11 25:1 20 56:15 57:11 Recommendations [1] 57:17 Sends Result Proposed [1] 17:1 [2] 17:9 36:6 [1] 13:2 [2] 1:5 3:5 Recommended Sense Retaining Provide [14] 5:17 21:20 23:15 31:4 31:6 35:24 [1] 4:16 [1] 44:4 [3] 1:5 3:4 4:16 Recompact 39:11 45:11 45:15 45:19 49:5 49:6 49: Sent Provided [1] 45:18 11 49:15 [1] 13:3 [1] 10:10 Record Reveal Sentence [11] 5:4 5:18 5:19 6:5 6:18 8:25 9:3 Providing [1] 13:19 [1] 9:17 15:9 20:4 23:7 39:8 [1] 4:2 Revealed September Records Psi [1] 13:22 [4] 1:9 2:3 3:10 59:11 [3] 7:20 29:23 29:23 [2] 8:24 9:1 Review Septic Recross Public [1] 21:10 [1] 3:19 [5] 6:7 47:8 47:22 59:6 59:18 [1] 2:7 Ridiculous Served Redir PUC [1] 50:4 [1] 5:20

[1] 2:20

[1] 2:7

Third Skimming Steve Service [2] 1:13 3:16 [1] 8:5 [13] 35:20 36:8 37:11 37:14 42:12 42: [8] 3:20 6:9 7:20 10:24 12:12 12:15 Third-party 13 42:16 45:22 48:8 48:9 48:14 48:15 Sticking 46:15 46:16 [8] 22:3 22:8 22:9 26:22 27:18 40:24 [1] 8:5 55:13 Serviceman THOMAS Skinned 41:1 52:6 [2] 13:3 54:12 [1] 1:19 Stiff [1] 31:25 Servicemen Three [1] 30:2 Slightly [1] 20:24 [2] 40:13 52:15 Still T11 22:12 Set [5] 14:9 29:14 32:12 41:17 52:14 Throughout Slope [3] 17:10 23:25 24:22 [3] 31:6 36:24 36:25 [1] 4:18 Stop Setting [4] 11:1 21:15 22:18 22:22 Ticket Slopes [1] 23:15 [2] 8:22 9:4 Stopped [1] 36:22 Sever [1] 20:18 Tickets Sloping [1] 36:4 [1] 9:2 Straight [1] 31:5 Severed [4] 30:9 30:12 30:15 43:4 Today [8] 7:19 14:1 22:7 25:13 25:14 32:2 Small [3] 5:2 49:23 54:16 Stretch [3] 23:8 23:18 30:12 36:5 46:5 [1] 34:16 Todd Snapped Shad [2] 1:13 3:16 Stretches [2] 46:2 57:13 [1] 21:9 [2] 30:3 30:5 Together Soil Shakes Stuff [1] 41:9 [1] 55:5 [3] 11:18 16:6 27:21 Tom Solseth [1] 51:14 Shall [13] 1:14 3:19 30:24 31:2 31:9 31:21 [1] 4:25 Subject [4] 3:25 4:5 4:6 4:8 32:4 50:21 51:2 51:20 52:2 52:9 58:13 [1] 4:11 Took Shallow [1] 59:9 Someone Submit [2] 8:1 24:6 [1] 54:24 [1] 54:4 Tool Shallower Soon [4] 22:19 23:10 29:10 29:16 Subsequently [1] 55:7 Tools [1] 48:19 [1] 7:21 Shift [1] 42:25 Sorry Sudden [1] 45:18 [4] 11:3 11:5 15:10 37:5 Top [2] 40:6 45:23 Shirt $[16\overline{]}$ 22:13 31:25 34:19 37:9 37:11 39: Sufficient South [1] 46:11 12 39:22 43:5 48:14 48:16 48:20 51: [25] 1:1 1:2 1:11 1:20 2:3 3:6 3:8 3: [1] 54:5 Short 19 57:7 57:11 57:12 57:13 12 3:13 3:20 5:1 6:7 6:21 7:6 7:7 8: Suit [1] 30:5 17 15:22 40:9 44:2 47:7 48:2 54:6 59: Torn [1] 56:12 Shorthand 1 59:7 59:13 [1] 31:11 Superintendent [2] 59:9 59:9 Specifically Towards [1] 6:23 Shortly [1] 55:3 [1] 36:24 Supervisor [2] 21:3 21:5 Splicing Tractor [1] 13:10 Show [1] 21:24 [1] 23:8 Suppose [1] 6:25 Split Transcript [1] 31:4 Showed [1] 27:16 [2] 1:9 2:1 Supposed [5] 23:22 25:8 40:24 52:12 52:17 Spot [3] 43:10 43:11 51:13 Transcription Showing [4] 23:18 23:25 48:10 51:17 [1] 59:12 Supposedly [2] 16:9 17:13 Sprinkler Trench [1] 51:11 Shows [3] 51:5 51:6 51:8 [1] 21:24 Supreme [1] 55:15 Squeeze True [1] 4:14 SHULTZ [3] 22:19 26:11 29:10 [1] 59:11 Surface [1] 1:19 Squeeze-off Trying [5] 35:20 40:21 42:22 57:7 57:10 Shut [6] 31:22 34:25 39:13 40:21 41:3 42: [1] 22:19 Surrounded [5] 21:14 23:6 34:23 40:7 41:5 Squeeze-on [1] 24:7 Side Turn [1] 29:10 Sworn [28] 22:4 22:5 22:12 23:19 23:21 23: [2] 4:20 15:7 23 26:11 26:12 27:7 27:10 27:12 27: 13 29:11 32:3 34:20 39:20 39:21 42: Squeezed [5] 4:11 6:2 19:23 33:17 39:5 [1] 22:21 Turned System 17 42:18 42:19 43:5 43:6 48:12 48:16 51:18 51:22 52:3 57:5 [1] 36:13 Squeezer [2] 51:5 51:6 Two[1] 22:21 System's [6] 12:18 12:19 20:24 22:6 22:7 26:6 SS Sides [1] 51:8 Type [1] 29:22 [5] 26:7 34:16 46:3 51:9 51:11 [1] 59:2 Stand \mathbf{T} Sidney [1] 11:15 [1] 39:9 U Table Start Sign [2] 46:11 47:2 [2] 47:15 58:11 [1] 44:3 Unaware Tall Started Signature [1] 51:3 [4] 11:6 32:1 39:23 40:4 [3] 37:4 37:7 49:8 [2] 10:7 20:11 Under Starting Telecommunications Signed [11] 6:3 19:24 29:22 29:23 29:23 33: [2] 30:10 30:20 [1] 3:15 [1] 47:19 18 39:6 54:13 57:19 57:23 58:2 Telephone State Signify Underground [11] 1:1 4:14 4:14 6:17 8:10 20:3 33: [1] 9:24 [1] 58:8 [4] 1:7 3:7 4:5 55:4 21 39:7 44:17 59:1 59:7 Telephonic Signing Underneath Statement [1] 58:19 [1] 47:13 [2] 41:13 41:14 [10] 5:8 20:10 20:11 25:22 26:5 27:19 Terry
[8] 1:12 3:21 30:7 30:14 30:18 30:22 Site Undisturbed 28:1 28:3 54:2 55:20 [16] 13:7 14:15 18:10 18:11 20:17 20: [3] 37:11 37:15 37:15 Statements 18 21:7 21:11 22:24 22:25 23:5 25:1 37:24 38:3 Unknowingly [3] 11:15 12:18 12:19 Testified 32:7 38:9 38:13 52:11 [2] 31:18 31:20 [6] 6:3 19:24 33:18 39:6 42:3 56:3 States Sitting qΰ [6] 41:15 41:17 47:2 48:18 50:3 56:18 [2] 53:16 55:3 Testify [18] 9:25 22:8 26:17 27:2 30:13 32:2 [3] 13:18 39:3 54:16 Steep Situation 35:18 36:16 40:7 40:24 41:1 42:23 4 [2] 27:5 31:5 [6] 6:6 7:13 22:16 44:2 44:18 55:11 Testifying 13 49:16 51:12 52:12 52:17 57:16 Steer [1] 4:11 Skid Upstream [8] 7:19 13:24 23:4 23:7 23:8 25:10 [12] 7:19 13:24 23:4 23:7 23:8 25:10 Testimony [3] 22:4 26:11 32:3 31:11 31:14 31:11 31:13 36:13 40:7 52:19 57:6 [1] 29:22 Utilities Step Therefore Skidder [13] 4:24 5:2 5:12 6:7 6:24 9:2 13:1 [1] 21:14 [2] 25:6 45:23 [1] 55:6 20:7 20:15 47:8 47:22 54:4 54:13


Word Index Utility Wind [8] 1:4 1:7 1:21 3:3 3:7 4:5 38:9 38:11 [3] 26:8 41:1 52:7 Wise [1] 31:2 Variables [1] 55:6 Wish Various [1] 54:2 [1] 58:10 Vary Wishes [1] 55:5 [1] 25:18 Venting [1] 22:19 Witness [52] 5:24 6:2 11:7 11:12 11:13 11:15 Vertical [1] 57:1 11:18 15:7 19:20 19:23 27:21 28:11 Violated 28:16 28:20 28:23 29:3 29:11 29:17 [2] 3:25 4:3 30:1 30:10 30:17 30:20 31:1 31:3 31: Violation 19 31:24 32:8 32:15 33:3 33:13 33:15 [2] 13:19 54:6 33:17 37:4 38:2 38:6 38:10 38:14 38: Visible [3] 28:13 32:12 32:13 17 39:5 41:20 49:3 49:8 49:12 50:13 Visit 51:1 51:4 51:24 52:4 52:12 53:4 53:6 [1] 24:17 53:14 Visited [1] 21:16 Witness's Vivid [1] 51:21 [1] 32:19 Void Witnesses [1] 42:21 [8] 2:7 11:9 11:14 18:16 33:9 33:12 Vote 53:21 53:24 [1] 58:17 Wittler W [3] 1:24 59:5 59:18 Walked Wonder [2] 27:4 41:4 [1] 24:17 Wall [24] 5:17 21:20 31:4 35:24 36:11 37:3 Wondering 37:4 37:7 37:13 39:11 41:13 41:14 42: [1] 18:11 23 43:6 45:11 45:15 49:5 49:7 49:11 49:15 51:17 51:19 52:18 56:19 Words Wall's [3] 23:13 54:10 55:17 [1] 57:1 Walls Works [5] 31:6 45:19 45:21 45:21 56:25 [1] 45:20 Watching [1] 35:16 Wound Water [1] 21:9 [1] 3:18 Week Write [2] 52:15 52:15 [2] 25:22 44:14 Weigh [1] 39:16 Written Wes [1] 58:22 [2] 7:47:10 Wesley Wrote [11] 1:5 1:22 2:9 2:15 2:18 3:4 5:5 9: [1] 44:14 8 11:2 39:4 39:9 West Y [1] 3:15 Wet Yard [3] 29:4 29:4 52:14 [1] 36:22 Whacking [1] 27:20 Whole [2] 7:16 39:10 [1] 44:9 Wide Years [3] 31:5 34:10 39:14 [1] 49:3 Width [3] 31:2 31:14 34:8 Yellow Width-wise [4] 24:21 25:2 32:18 32:19 [1] 31:2 Yourself Wiest [62] 1:11 4:15 4:21 4:22 5:4 5:23 6: [2] 13:7 53:3 13 11:1 11:6 11:19 12:1 12:4 12:8 14: 19 14:22 15:6 15:12 16:4 16:7 16:21 17:4 17:7 17:22 17:25 18:4 18:19 18:

25 19:15 19:19 25:25 27:23 28:5 29:6 32:9 32:21 33:5 33:8 33:11 33:14 33: 19 35:5 37:5 37:22 38:15 38:24 39:2 39:7 40:23 41:18 41:21 47:5 48:24 50: 9 52:25 53:10 53:20 53:23 54:1 55:19

55:22 57:15 58:14

Mail completed form to:

PUBLIC UTILITIES COMMISSION 500 EAST CAPITOL AVENUE PIERRE, SD 57501 ATTN: SOUTH DAKOTA ONE CALL BOARD



COMPLAINT

COMPLETE INFORMATION IS REQUIRED – ADDITIONAL PAGES MAY BE USED IF REQUIRED

ALLEGATION OF PROBABLE VIOLATION(S) OF SOUTH DAKOTA ONE CALL LAWS

I. ACTION REQUESTED BY:
COMPLAINT FILED BY INDIVIDUAL OR BUSINESS* PERSON FILING COMPLAINT: Jim Mann
COMPANY: Montana-Dakota Utilities Co. ADDRESS: PO Box 1060, Rapid City, SD 57709 PHONE NUMBER: 605-355-4021
SIGNATURE OF COMPLAINANT: DATE: 4/16/04 EMAIL ADDRESS: jim.mann@mdu.com
*If the complaint is files on behalf of a Company, the person signing this form should have the proper authority to file the complaint.
II. ACTION REQUESTED AGAINST:
NAME OF EXCAVATOR/FACILITY OPERATOR: Wes Johnson - Create A Scape Landscaping PHONE NUMBER: 605-391-4141
ADDRESS: 1323B Sidney Dr, Rapid City, SD 57701
WAS A LOCATE REQUESTED FROM SD ONE CALL? YES ☐ NO ☒ LOCATE TICKET #: n/a
START DATE ON TICKET: n/a
DID EXCAVATOR WAIT UNTIL THE START DATE/TIME ON THE TICKET BEFORE COMMENCING EXCAVATION? YES \(\subseteq \text{ NO } \subseteq \text{ N/A } \subseteq \)
WERE BURIED FACILITIES EXPOSED BY HAND OR WITH NON-INVASIVE EQUIPMENT PRIOR TO EXCAVATION? YES ☐ NO ☒ N/A ☐
III. FACILITY INVOLVED (IF ANY)
TYPE OF FACILITY INVOLVED: Natural Gas Distribution OPERATOR OF FACILITY (IF KNOWN): Montmana-Dakota Utilities Co.
OPERATOR ADDRESS: PO Box 1060, Rapid City, SD 57701 PHONE NUMBER: 605-355-4021
DEPTH OF COVER: 18 inches PRESSURE: 30 psig VOLTAGE: NUMBER OF CABLE PAIRS:
IV. MARKING
WERE FACILITIES MARKED? YES 🖾 NO 🗌 N/A 🗌
WAS THE MARKING COMPLETE PRIOR TO THE START TIME ON THE TICKET? YES [NO [N/A [
DID EXCAVATOR PRE-MARK WITH WHITE PAINT? YES NO N/A

DID EXCAVATOR USE REASONABLE CARE TO MAINTAIN LOCATE MARKS FOR LIFE OF PROJECT YES \(\) NO \(\) HAVE YOU DISCUSSED THE PREVIOUS STATEMENTS WITH THE OTHER PARTY? YES \(\) NO \(\) IS THERE AGREEMENT? YES \(\) NO \(\) IF NO, PLEASE EXPLAIN: \(\) Mr. Johnson believes he is not at fault because the depth of the facility was not sufficient. JOHN DEPTH OF THE PROPERTY DAMAGE (S): 140.00 NUMBER OF CUSTOMERS AFFECTED: 1 DAMAGED IN: PUBLIC \(\) PRIVATE \(\) (RIGHT-OF-WAY) PHOTOS OF THE DAMAGED FACILITY? YES \(\) NO \(\) ADDITIONAL INFORMATION: Attachments: Report of Damage to Company Owned Property, Gas Leak Repair Report, Gas Service Order, Witness statements from Josh Sanders and Bill Gifford JOHN PROBABLE VIOLATION SPECIFIC STATUE(S) OR RULE(S) THAT WAS VIOLATED: \(\frac{49-7A-5}{137} \) Prestwick Rd. Rapid City, SD. 57702 DATE/TIME OF PROBABLE VIOLATION: \(\frac{1/20/04}{1.00} \) PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION: \(\frac{1/20/04}{1.00} \) PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES \(\) NO \(\) DEFYES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: \(\) Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the \(\frac{3}{4} \) polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier \(\frac{3}{4} \) party request and we still clearly visible. No effort was made to hand-dig addities not only causes service interuptions to our customers, it also constitutes an extreme sufficient.	WILD THE TROP	ITY MARKED ACCURATELY (WITHIN 18 INCHES)? YES ⊠ NO □ N/A □
IS THERE AGREEMENT? YES \ NO \ IF NO, PLEASE EXPLAIN: Mr. Johnson believes he is not at fault because the depth of the facility was not sufficient. J. DAMAGE (IF ANY)		R USE REASONABLE CARE TO MAINTAIN LOCATE MARKS FOR LIFE OF PROJECT?
PEATALITIES: © INJURIES: © LENGTH OF HOSPITALIZATION: n/a ESTIMATED PROPERTY DAMAGE (S): 140.00 NUMBER OF CUSTOMERS AFFECTED: 1 DAMAGED IN: PUBLIC PRIVATE (RIGHT-OF-WAY) PHOTOS OF THE DAMAGED FACILITY? YES NO ADDITIONAL INFORMATION: Attachments: Report of Damage to Company Owned Property, Gas Leak Repair Report, Gas Service Order, Wittness statements from Josh Sanders and Bill Gifford WI. PROBABLE VIOLATION SPECIFIC STATUE(S) OR RULE(S) THAT WAS VIOLATED: 49-7A-5, 49-7A-8 ADDRESS/LOCATION OF PROBABLE VIOLATION: 7/137 Prestwick Rd, Rapid City, SD 57702 DATE/TIME OF PROBABLE VIOLATION: 1/20/04, 1:00 PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES NO DEFYES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and w still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wreeklesness while excavating near natural gas facilities not only causes service interruptions to our customers, it also	HAVE YOU DISC	CUSSED THE PREVIOUS STATEMENTS WITH THE OTHER PARTY? YES $oxtimes$ NO $oxtimes$
ESTIMATED PROPERTY DAMAGE (S): 140.00 NUMBER OF CUSTOMERS AFFECTED: 1 DAMAGED IN: PUBLIC PRIVATE (RIGHT-OF-WAY) PHOTOS OF THE DAMAGED FACILITY? YES NO ADDITIONAL INFORMATION: Attachments: Report of Damage to Company Owned Property, Gas Leak Repair Report, Gas Service Order, Witness statements from Josh Sanders and Bill Gifford WI. PROBABLE VIOLATION SPECIFIC STATUE(S) OR RULE(S) THAT WAS VIOLATED: 49-7A-5, 49-7A-8 ADDRESS/LOCATION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 DATE/TIME OF PROBABLE VIOLATION: 1/20/04, 1:00 PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES NO GET YES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also		
PHOTOS OF THE DAMAGED FACILITY? YES \(\text{ NO } \text{ NO MINBER OF CUSTOMERS AFFECTED: 1} \) ADDITIONAL INFORMATION: Attachments: Report of Damage to Company Owned Property, Gas Leak Repair Report, Gas Service Order, Wittness statements from Josh Sanders and Bill Gifford WI. PROBABLE VIOLATION SPECIFIC STATUE(S) OR RULE(S) THAT WAS VIOLATED: 49-7A-5, 49-7A-8 ADDRESS/LOCATION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 DATE/TIME OF PROBABLE VIOLATION: 1/20/04, 1:00 PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES \(\text{ NO } \) OF YES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	V. DAMAGE (IF A	NY)
PHOTOS OF THE DAMAGED FACILITY? YES \ NO \ ADDITIONAL INFORMATION: Attachments: Report of Damage to Company Owned Property, Gas Leak Repair Report, Gas Service Order, Wittness statements from Josh Sanders and Bill Gifford WI. PROBABLE VIOLATION SPECIFIC STATUE(S) OR RULE(S) THAT WAS VIOLATED: 49-7A-5, 49-7A-8 ADDRESS/LOCATION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 DATE/TIME OF PROBABLE VIOLATION: 1/20/04, 1:00 PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES \ NO \ \ UF YES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	FATALITIES: 0	INJURIES: 0 LENGTH OF HOSPITALIZATION: n/a
ADDITIONAL INFORMATION: Attachments: Report of Damage to Company Owned Property, Gas Leak Repair Report, Gas Service Order, Wittness statements from Josh Sanders and Bill Gifford WI. PROBABLE VIOLATION SPECIFIC STATUE(S) OR RULE(S) THAT WAS VIOLATED: 49-7A-5, 49-7A-8 ADDRESS/LOCATION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 DATE/TIME OF PROBABLE VIOLATION: 1/20/04, 1:00 PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES NO IF YES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	ESTIMATED PRO DAMAGED IN: 1	OPERTY DAMAGE (\$): $\underline{140.00}$ NUMBER OF CUSTOMERS AFFECTED: $\underline{1}$ PUBLIC \square PRIVATE \boxtimes (RIGHT-OF-WAY)
VI. PROBABLE VIOLATION SPECIFIC STATUE(S) OR RULE(S) THAT WAS VIOLATED: 49-7A-5, 49-7A-8 ADDRESS/LOCATION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 DATE/TIME OF PROBABLE VIOLATION: 1/20/04, 1:00 PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES ☒ NO ☐ IF YES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	PHOTOS OF TH	E DAMAGED FACILITY? YES \(\square\) NO \(\square\)
SPECIFIC STATUE(S) OR RULE(S) THAT WAS VIOLATED: 49-7A-5, 49-7A-8 ADDRESS/LOCATION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 DATE/TIME OF PROBABLE VIOLATION: 1/20/04, 1:00 PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES NO IF YES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also		
ADDRESS/LOCATION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 DATE/TIME OF PROBABLE VIOLATION: 1/20/04, 1:00 PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES NO IF YES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	VI. PROBABLE VI	OLATION
DATE/TIME OF PROBABLE VIOLATION: 1/20/04, 1:00 PM HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES NO IF YES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	consecutive con the	
HAVE YOU DISCUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED AGAINST: YES NO IF YES, NAME OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	SPECIFIC STAT	UE(S) OR RULE(S) THAT WAS VIOLATED: 49-7A-5, 49-7A-8
AGAINST: YES NO DESCRIPTION OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes John DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and wastill clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also		
DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	ADDRESS/LOCA	TION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702
DESCRIPTION OF PROBABLE VIOLATION: On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	ADDRESS/LOCA DATE/TIME OF	TION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM
On January 20th of this year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retain wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and wastill clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC	TION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED
wall. He did not notify South Dakota One Call prior to the excavation as required by law. During the process of this excavation, he severed the 3/4" polyethelene service line to the above referenced address. While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES	TION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO NO
While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES IF YES, NAME O	TION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes Johns
While no locate request was made prior to the excavation, the line had been marked by an earlier 3 rd party request and we still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES IF YES, NAME O DESCRIPTION O	TION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes Johns OF PROBABLE VIOLATION:
still clearly visible. No effort was made to hand-dig and expose the line prior to excavating with power equipment. Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES IF YES, NAME OF DESCRIPTION OF	TION OF PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO FTHE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes Johns OF PROBABLE VIOLATION: This year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retaining the probable violation.
Wrecklesness while excavating near natural gas facilities not only causes service interuptions to our customers, it also	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES IF YES, NAME OF DESCRIPTION OF On January 20th of wall. He did not no	PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO FTHE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes Johns OF PROBABLE VIOLATION: Chis year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retaining of the process of this control of the process of this section of the process of this control of the process of the pr
	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES IF YES, NAME OF DESCRIPTION OF On January 20th of wall. He did not not excavation, he seve	PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO FTHE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes Johns OF PROBABLE VIOLATION: Chis year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retaining of the South Dakota One Call prior to the excavation as required by law. During the process of this exceed the 3/4" polyethelene service line to the above referenced address.
constitutes an extreme safety hazard to the operator and the muhlic	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES IF YES, NAME OF DESCRIPTION OF On January 20th of wall. He did not not excavation, he seven	PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO FTHE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes Johns OF PROBABLE VIOLATION: This year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retaining of the process of this extended to the service line to the excavation as required by law. During the process of this extended the 3/4" polyethelene service line to the above referenced address.
solistitutes an extreme safety mazard to the operator and the public.	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES IF YES, NAME OF DESCRIPTION OF On January 20th of wall. He did not not excavation, he seven While no locate recestill clearly visible.	PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO PROBABLE VIOLATION: Wes Johns OF THE PARTY WITH WHOM YOU DISCUSSED THE PROBABLE VIOLATION: Wes Johns OF PROBABLE VIOLATION: This year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retaining of the process of this exact the 3/4" polyethelene service line to the above referenced address. The probable of the excavation, the line had been marked by an earlier 3 rd party request and was No effort was made to hand-dig and expose the line prior to excavating with power equipment.
After speaking with Mr. Johnson regarding this incident, he maintains that he did nothing wrong. We feel that he will	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES IF YES, NAME OF DESCRIPTION OF On January 20th of wall. He did not not excavation, he seven While no locate recestill clearly visible. Wrecklesness while	PROBABLE VIOLATION: 7137 Prestwick Rd, Rapid City, SD 57702 PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO PROBABLE VIOLATION: Wes Johns OF PROBABLE VIOLATION: This year, Mr. Johnson was using a skid-steer loader to excavate an area for the installation of a retainst of the south Dakota One Call prior to the excavation as required by law. During the process of this exerced the 3/4" polyethelene service line to the above referenced address. The probable violation of a retain to the 3/4" polyethelene service line to the above referenced address. The probable violation of a retain to the 3/4" polyethelene service line to the above referenced address.
continue his wreckless excavation practices until the law is made clear to him. Montana-Dakota Utilities Co. requests the	ADDRESS/LOCA DATE/TIME OF HAVE YOU DISC AGAINST: YES IF YES, NAME OF ON January 20th of wall. He did not not excavation, he seven While no locate recestill clearly visible. Wrecklesness while constitutes an extre	PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED NO PROBABLE VIOLATION: 1/20/04, 1:00 PM CUSSED THIS PROBABLE VIOLATION WITH THE PARTY THE ACTION IS FILED F

We feel that Mr. Johnson violated Statute 49-7A-5: Mr. Johnson failed to notify South Dakota One call before commencing excavation activities. We also feel he violated Statute 49-7A-8 by failing to hand-dig and expose the natural gas facility that was still clearly identifiable by an earlier 3rd party locate request.

REPORT OF DAMAGE TO COMPANY-OWNED PROPERTY

(NOTE: Please refer to bottom of this form before proceeding with completion.)

Part A							
Owner of Property:		MDU		Division/Distric	t:	Black Hills	
Date and Time of Loss:		C AM C F	PM 20	Day of	January	. 2	:004
Name of Location Where Dama	ge Occurred:		h	-	d rock	<u></u>	
Location of Damaged Property:	90 000000	7137	7 Prestwick		-	oid City	SD
Location of Damaged Froperty.			Street)			City)	(State)
Rural Location:							
Estimated Amount of Loss:		· · · · · · · · · · · · · · · · · · ·		Our Service Order N	o. (If applicable)		
Description and Cause of Loss of	or Damage:			ontractor cut serv			
	•	While	digging out fo	or block wall			
	· · · · · · · · · · · · · · · · · · ·						
Part B							
Did Loss or Damage Originate o	n our Premises?	Yes	No	If No, Explain			
If an Explosion, did a Fire Ensue	? CYes	€ No	How wa	s Fire Extinguished?			
If Electrical Property is Involved,				o i no zamiguloriou i			
Type of Equipment Involved:		g cappianie					
Damage caused by Electrical Are	cina. Short Circuit	or Other Failure	e. Give Approx	kimate Cause:			
	g,		,				
						·	
Did Fire Ensue? C Yes	No						***************************************
Part C							
If damage was caused by excava	ation was location	of our facilities	requested pri	or to digging?	© Yes € No		
Location requested by: Create				ime:	Date:		
Company property located on:		perty C Publ			_		
Damage notification by:	Wes Johr			ime: 1:05 PM	Date:	1/20	/2004
Was damager a subcontractor:	C Yes C N		If yes, for wh		_ Date.	1720	72004
Address:	*: 163 F: 15		11 700, 101 111		Telephone #:		
Name of equipment operator:		Wes		Address:		325 Foxrun Dr.	
Type of equipment:		Bobcat		Owner:			
Others involved in property dama	ae:			Owner Address	:		
Name:	3 - 1			Address:			· · · · · · · · · · · · · · · · · · ·
Name:				Address:			
In case of line break, complete th	e following:	Size of hole:	3/4"	Time lin	e blew:	15 r	nins
Names of Witnesses:	.	Address:					
		_					
Name of Insurer:		Address:					
		_					
Part D							·
		A delen			Fritant of Intro-	_	
Names of Persons Injured:		Address:			Extent of Injury	i	
	_						
	_						
Signature:	Bill Gifford			Signature:		Gary Higlin	
Data	4/00/0004			Data		4/04/0004	
Date:	1/20/2004			Date:		1/21/2004	

MONTANA-DAKOTA UTILITIES CO. GAS LEAK AND REPAIR REPORT

(Or Pipeline Condition Report)

Division Black Hills	Reason For Report:	[Inspec	tion 🌀 Le	eak and Rep	oair					
Date Leak Repair Person was Dispatched: 1/20/2004 Time: 1:05 PM Date Leak Repair Person Responded: 1/20/2004 Time: 1:05 PM Date Leak Repair Person Responded: 1/20/2004 Time: 1:20 P.M. From What Location (Town) did Leak Respond Person Leave: Shop Type of Line: Rural Service Line Distribution Main Service Line Location: Map Number 29 12 Block Number: Lot Number: Line Name: Survey Location: Acct Number: 319712.02 On Federal Land: Yes No Describe Specific Location: Acct Number: 319712.02 On Federal Land: Yes No Describe Specific Location: Poth Island Condition: Not Applicable External Condition: Service Line Service Line Length Exposed: 7' External Condition: For Service Line Length Exposed: 7' External Condition: For Service Line Length Exposed: 7' External Condition: For Service Line Number: Not Applicable Plastic If steel is it cathodiacally protected: Yes No PiperWire to Soil 1.10 Soil Conditions: For Gravel Form Sil Caly Operating Pressure: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Form Moisture Dry Damp Wet Original Installation Date: Operating Pressure: M/P Method of Repair: Squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4* hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04.	Division: Bla	ck Hills	Town:	Rapid	City	556	_Date:		1/20/04	4
Date Leak Repair Person was Dispatched: 1/20/2004 Time: 1:05 PM Date Leak Repair Person Responded: 1/20/2004 Time: 1:20 P.M. From What Location (Town) did Leak Respond Person Leave: Shop Type of Line:	If Leak, Date Detected:					n:	Wes	Johnson		
Date Leak Repair Person Responded: 1/20/2004 Time: 1:20 P.M. From What Location (Town) did Leak Respond Person Leave: Shop Type of Line: Rural Service Line Distribution Main Service Line Location: Map Number: 29 - 1 Ellock Number: Line Name: Line Name: Survey Location: Map Number: Acct Number: Survey Location: Acct Number: 319712.02 On Federal Land: Yes No Describe Specific Location: Internal Pipe Condition: Not Applicable Pipe Size: 3/4-in Depth: 18" Length Exposed: 7' External Condition Good Coating Type Not Applicable Type of Pipe Plastic If steel is it cathodiacally protected: Yes No Pipe/Wire to Soil 1.10 Soil Conditions: Gravel Sand Sil Clay Other Moisture Dry Damp Wet Original Installation Date: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Moisture Dry Coulside Force Other Description of Leak: Corrosion Material Defect Construction Defect Moisture Date of follow up (if required) Method of Repair: Squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCaic by Ron Blum, 2-3-04.	Leak Classification:	Class I	C Class		Class III	No Leak				
From What Location (Town) did Leak Respond Person Leave: Type of Line: Rural Service Line Distribution Main Service Line Lot Number: Lot Number: Lot Number: Lot Number: Ithe Name: Survey Location: Map Number 29 - 12 Block Number: Lot Number: Ithe Name: Survey Location: Acct Number: 319712.02 On Federal Land: Yes No Describe Specific Location: Internal Pipe Condition: Not Applicable Pipe Size: 3/4-in Depth: 18" Length Exposed: 7' External Condition Good Coating Type Not Applicable Type of Pipe Plastic If steel is it cathodiacally protected: Yes No Pipe/Wire to Soil 1.10 Soil Conditions: Ye Gravel Sand Sil Clay Other Moisture Dry Damp Wet Original Installation Date:	Date Leak Repair Pe	rson was Dispa	atched:		1/20/	2004		Time:	1	:05 PM
Type of Line:	Date Leak Repair F	erson Respon	ded:		1/20/	2004		Time:	1.	:20 P.M.
Location: Map Number 29 - 12 Block Number: Lot Number: If Rural Service Line: Transmission Line Number: Line Name: Survey Location: Acct Number: 319712.02 On Federal Land: Yes No Describe Specific Location: Internal Pipe Condition: Not Applicable Pipe Size: 3/4-in Depth: 18" Length Exposed: 7' External Condition Good Coating Type Not Applicable Type of Pipe Plastic If steel is it cathodiacally protected: Yes No Pipe/Wire to Soil 1.10 Soil Conditions: Gravel Sand Sil Clay Other Moisture Dry Damp Wet Original Installation Date: Operating Pressure: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Third Party Outside Force Other Description of Leak: Corrosion Lake: Contractor dug into service with Bobcat cutting line in half Method of Repair: squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04.	From What Location (To	wn) did Leak F	lespond Perso	on Leave:				Shop		
If Rural Service Line: Transmission Line Number: 319712.02 On Federal Land: Yes No Describe Specific Location: Internal Pipe Condition: Not Applicable Pipe Size: 3/4-in Depth: 18" Length Exposed: 7' External Condition Good Coating Type Not Applicable Type of Pipe Plastic If steel is it cathodiacally protected: Yes No Pipe/Wire to Soil 1.10 Soil Conditions: Gravel Sand Sil Clay Other Moisture Dry Damp Wet Original Installation Date: Operating Pressure: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Mith Bobcat cutting line in half Method of Repair: squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04.	Type of Line: C Rur	al Service Line	Dist	tribution Mai	in 🙃	Service Line				
Survey Location: Acct Number: 319712.02	Location: Map Numb	er2	29	12	<u>?</u>	Block Number:	:	Lot Number: _		
Describe Specific Location: Internal Pipe Condition:	If Rural Service Line:	Tra	ansmission Li	ne Number:			_	Line Name:		
Internal Pipe Condition: Pipe Size: 3/4-in Depth: 18" Length Exposed: 7' External Condition Good Coating Type Not Applicable Type of Pipe Plastic If steel is it cathodiacally protected: Yes No Pipe/Wire to Soil 1.10 Soil Conditions: Gravel Sand Si Clay Other Moisture Dry Damp Wet Original Installation Date: Operating Pressure: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Third Party Outside Force Other Description of Leak: Contractor dug into service with Bobcat cutting line in half Method of Repair: squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04.	Survey Location:		Acc	ct Number:	31	9712.02	On Fed	leral Land:	Yes	No
Pipe Size: 3/4-in Depth: 18" Length Exposed: 7' External Condition Good Coating Type Not Applicable Type of Pipe Plastic If steel is it cathodiacally protected: Yes No Pipe/Wire to Soil 1.10 Soil Conditions: Gravel Sand Sil Clay Other Moisture Dry Damp Wet Original Installation Date: Operating Pressure: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Third Party Outside Force Other Description of Leak: Contractor dug into service with Bobcat cutting line in half Method of Repair: Squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04.	Describe Specific Locati	on:								
Pipe Size: 3/4-in Depth: 18" Length Exposed: 7' External Condition Good Coating Type Not Applicable Type of Pipe Plastic If steel is it cathodiacally protected: Yes No Pipe/Wire to Soil 1.10 Soil Conditions: Gravel Sand Sil Clay Other Moisture Dry Damp Wet Original Installation Date: Operating Pressure: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Third Party Outside Force Other Description of Leak: Contractor dug into service with Bobcat cutting line in half Method of Repair: Squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04.										
External Condition	Internal Pipe Condition:				_					
Type of Pipe Plastic If steel is it cathodiacally protected: C Yes No Pipe/Wire to Soil 1.10 Soil Conditions: Gravel Sand Sil Clay Other Moisture Dry Damp Wet Original Installation Date: Operating Pressure: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Third Party Outside Force Other Description of Leak: Squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04.	Pipe Size: 3/4-in	Dept	h: <u>1</u>	8"	_ L	ength Exposed:		7'		
Soil Conditions: Gravel Sand Sil Clay Other Moisture Dry Damp Wet Original Installation Date: Operating Pressure: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Third Party Outside Force Other Description of Leak: Corrosion Material Defect Construction Defect Third Party Outside Force Other Contractor dug into service with Bobcat cutting line in half Method of Repair: squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04.	External Condition				_					
Original Installation Date: Operating Pressure: M/P Kinds of Leak: Corrosion Material Defect Construction Defect Third Party Outside Force Other Contractor dug into service with Bobcat cutting line in half Method of Repair: squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04.	Type of Pipe									
Kinds of Leak: Corrosion Material Defect Construction Defect Third Party Outside Force Other Description of Leak: Contractor dug into service with Bobcat cutting line in half Method of Repair: squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04. Signed: Bill Gifford 1/20/04	Soil Conditions: G	avel 🎵 Sa	nd Sil	Clay		Other		Dry V	Damp	Wet
Description of Leak: Contractor dug into service with Bobcat cutting line in half Method of Repair: squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04. Signed: Bill Gifford 1/20/04	——————————————————————————————————————									
Method of Repair: squeeze off repair with socket couplings and pipe air test and soap test final fusion Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04. Signed: Bill Gifford 1/20/04	Kinds of Leak: Cor	osion Ma	iterial Defect				-		ce l Ot	he <u>r</u>
Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04. Signed: Bill Gifford 1/20/04	Description of Leak:			Contract	or dug into	service with Bot	ocat cutting	line in half		
Date Repaired: 1/20/2004 S.O.: Date of follow up (if required) If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04. Signed: Bill Gifford 1/20/04										
If a DOT Reportable Leak: Date and Time of Telephone report: To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04. Signed: Bill Gifford 1/20/04	Method of Repair:									
To whom was leak reported: Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04. Signed: Bill Gifford 1/20/04	•						. Date	of follow up	(if required	<u> </u>
Remarks: Line blew for 15 mins 3/4" hole. 2.5 mcf gas loss calculated with GASCalc by Ron Blum, 2-3-04. Signed: Bill Gifford 1/20/04			Date and Tir	me of Telep	hone repor	t:				
Signed: Bill Gifford 1/20/04	To whom was leak repor	ted:	L 0.5 (-		OACC-In his D	- Diver 0	2.04		
Bill Gifford 1/20/04	Remarks: Line blew for	15 mins 3/4" no	ile. 2.5 mcr g	as ioss caid	culated with	GASCalc by Ro	on Blum, Z	-3-04.		
Bill Gifford 1/20/04										
Bill Gifford 1/20/04										
Bill Gifford 1/20/04			·	······································						
Bill Gifford 1/20/04										
Bill Gifford 1/20/04	Signed:									
Signed:		Bill Gifford	1/20/04							
Gan/ Higlin 1/21/04	Signed:									

		· · · · · · · · · · · · · · · · · · ·							
Premise Number		3197	12.02			Tow	n Numbe	er	556
Steet Address		7137 Pre	stwick o	lr.					
Date Completed		1/20/	/2004						
Batch Number		St. 534	601						
Document Number		3775		II					
Service Property Units		1	2						,
Stub Property Units									
Main Property Units									
Type of Work		Damage Repair	28929	OR 28879			٨٢	DITIONA	L NOTEC.
Parts Used PIPE PL .75 IPS	Part Number 2051077	Amount Used On Service 5		nt Used On b / Main	Amount U Retirer		AL	DUTTONA	AL NOTES:
COUPLING PL .75 IPS	2564068	2							
PIPE PL .75 IPS	2051077								
WIRE CU LOCATOR #14 HMWP! Size of Service: Type	2579007 e of Service:	Longth of Sizo o	f Main:	Type	of Main:	Don't of	Double of	Donall -C	
	stic -	Stub:	<u> </u>	C Plastic		Depth of Service:	Depth of Stub:	Depth of Main:	Pipe / Wire to Soil:
		J N/A		C Steel	♠ N/A	18"			1.10 VOLTS
	igth of Test:	Test Medium:	Pressu	re Tested To:	Welder	Fuser:		APPRO	VED BY:
Billy Gifford 🚾 15	Min C Hr C N/A	Air 🔯	10	00 PSIG	Billy Gifford	Harris of the state of the stat		GARY	HIGLIN
Type of Coating	Con	dition of Coating	Inte	ernal Conditio	n of Pipe	Externa	al Condition o	f Pipe	
Not Applicable	Not A	Applicable 💆		Not Applicab	ole 💽	Good		3	

g		GAS	SERV	ICE OF	IDER			
Premise Number:		319712.02			Farm Tap:		Excess Flo	w Valve
Originated by:			Gifford		் Ye	es	CY	
Date Ordered:			0/2004		● ® No)	€ 1	1 0
REGION		Service Address:	3/2004					
Black Hills	100		and the second section of the	/13	7 Prestv	vick ar.	and the second s	
		Cross Street:		and the second control of the second of	namento en la casa el relato de entretación presente en cultural en encuentra en conse	والمتراف والمراف والمنافرة المنافرة	an shaha kanishi sa dangkarananan sana kanikan dalah sa sa	
County		Town			State		Additio	
Pennington		Rapid City			South Dakota	X	Retire	
Township		Range		Section	Block	Lot	City • Inside	Limits
1N	X	7E		29			C Outside	
MDL	J Map Numb	er	Subdivision	or Additional Ma	p Sheets	Loc	ate Ticket Nu	mber
29	_	12						
		Billable Work			Τ	Non-Billab	le Work	
New Service Li	ne	Time & M	/laterial		「 New Ma			
Relocate Service		C Per / Foo	_	Price	-1	lain/Stub/Serv	ice Ser	vice Lin
Replace Service		Bid Price				e Main/Stub e Main/Stub/S	001	Picto
Dow nstream SDamage Repair	ervice (U38	T&M Not	to Exceed			Non-Billable D		nete.
SPECIAL	INISTRIIC	TIONS:		l	Bill In Full		2 Monthly Pa	vments
	PREFOR	MED:	LINE WITH	BOBCAT. BII	LED ON INV	OICE #326	5560.01	
\$ - \$ - \$ - \$		Squ	eeze off ser	vice line / rep	oair			
				Worked				
Dates worked		oreman		elder	Fitter O		Labo	_
1/20/2004	Non-billable	Billable 1.5	Non-billable	Billable	Non-billable	Billable 1.5	Non-billable	Billabi
1/20/2004		1.0				1.0		
Over Time								
Double Time	Billable	Strait Time		Over Time		Double	Timo	
Serviceman Time	Non-billable	Strait Time		Over Time		Double		
	14011-Diliable	Ottait Time		0.40, 111110	Crew Who			S S
Date	Job Com	oletely Finished		1/20/2004	Worked Job	Billy Giff	rora	X
CLASS#	Cla	ss 18 & 22	Class	16 & 12	Class		Class	
EXAMPLE	Weld	ding Trucks	Foreman & Ser	viceman Vehicles	Weld	lers	Backh	oes
	EEOO	1000	0	735.4 116.77	0		0	
	5582	3496			Francis surfaces and a second second second		Faccion con many	
UNIT#	5562	<u> 246-24</u>	- cont contrator					
UNIT#	5562	17						
UNIT# Non-Billable	Access and an ordinary as	17 ELLANEOUS	MISCEL	LANEOUS	MISCELLA	NEOUS	MISCELLA	NEOU
UNIT # Non-Billable Billable	Access and an ordinary as	ELLANEOUS	MISCELI		MISCELLA 0	NEOUS	MISCELLA	
UNIT# Non-Billable	MISC		T	LANEOUS				NEOU

On Tuesday, January 20, 2004 Bill Gifford and I, Josh Sanders, were sent to a hit line at 7137 Prestwick Rd. We arrived around 1:20 pm. The Rapid City Fire Department, and two other Montana-Dakota Utilities Co. employees, Ralph Schad and Kevin Bad Wound, were already on site.

We found a ¾" plastic natural gas service line cut in two. It was sticking three to four feet out of the side of a hill. There was another three or four feet exposed downstream from where the line was cut in two. The line had been located at sometime or another, because yellow paint was visible in the area of the line.

We stopped the blowing gas. While visiting with Wes Johnson, the contractor, he explained that he was excavating with a bobcat skid steer to install a new concrete block retaining wall. It looked to me that he had already removed eighteen to twenty-four inches of soil over the service line. He told us that he was at the right depth for his wall. We dug out next to the service line before making repairs to lower the service. We fused in two couplings and some pipe, and lowered the service approximately six to eight inches.

While talking to Wes he told us that he thought we were at fault because the service line was to shallow. He also said that every gas line he has seen was five feet deep with two feet of sand around it.

The home owner also came out to visit. He was wondering what the bill would be like and how the contractor would handle it. He comment how he thought the contractor was "fly by night".

Josh Sanders

Fitter-Operator

Montana-Dakota Utilities Co.

Sanden

4/20/2004

On January 20, 2004 we (Josh Sanders and I, Bill Gifford) were sent to a gas leak in the Red Rock Subdivision, located at 7137 Prestwick Road. When we arrived, at about 1:20PM the Fire Department was there and also two servicemen.

There was a 3/4" P Service Line cut in two. After squeezing it off I asked Wes Johnson (bobcat operator) if he had gotten locates. He said he had, so I asked him for the ticket number, and he did not have one. There were some old locate marks.

He said that the line was shallow. I told him we cannot guarantee the depth of our pipe after we install it, because we have no control over what dirt is removed or added after we leave a job. He said there was no sand over the gas line and I told him we do not sand our gas lines, that only the Power Company uses sand. The dirt stain marks on the concrete wall indicated he had removed about 18 inches of dirt.

I asked him how much deeper he was going to dig, then we lowered the line 6-8 inches under the wall.

After the repairs I talked to the Homeowner about re-lighting his appliances. He wanted to know how much the repair was going to cost and if he had to pay the bill. After visiting with him he made the comment "that he was a "Fly by night" contractor."

Bill Gifford

Working Foreman

Montana Dakota Utilities

CreateAScape Landscaping

May 21, 2004

Dakota One Call Notification Board

Dear Sir or Madam:

This letter is in response to a complaint made by MDU against CreateAScape Landscaping. I feel this complaint is nonsense. Locates were called by the home owner earlier that month. CreateAScape Landscaping came to install a retaining wall and removed about 1-2 inches of dirt and hit the gas line. I feel it was negligence on the builder's part that the line was not properly buried. The employees of MDU commented that they had never seen a gas line buried so shallow before and stated that they have no control over how deep the line is buried after they leave. This would be controlled by the builder. Please contact the builder and inquire why they would be so irresponsible when they bury the gas lines. I feel it was unacceptable.

Sincerely,

Wesley Johnson

Owner of CreateAScape Landscaping

DID CREATE A-Scape have separate tacket? TES NO WAS LINE macual on homeowner tracket? Yes was the live struck when hardysing a much except? Yes was live market accurately? Yes

After discussion, Mr. Johnson claims he was not exchange, he was not exchange, he was not exchange, he was not exchange, he was not exchange legal posion No Chron than 5 pm Nex monoay—

ENFORCEMENT COMMITTEE ACTIO OC04-003 (B)



Montana-Dakota Utilities vs. Wesley Johnson, dba Create-A-Scape Landscaping,

FINDINGS:

OC04-003 (B)

to the second of
Alleged Violation of SDCL 49-7A-8 Location of underground facilities -- Marking

Allegation is made by Montana-Dakota Utilities that Wesley Johnson, dba Create-A-Scape Landscaping, commenced excavation on January 20, 2004, in a manner that failed to maintain a minimum horizontal clearance of 18 inches between the marked underground facility and the cutting edge of the mechanical equipment.

The response received from Wesley Johnson, dba Create-A-Scape Landscaping, did not dispute the allegation that the damaged facility was marked under a third party locate request (homeowner) and that the markings were accurate. The response also did not deny the fact that the underground facility was damaged by bobcat skid steer equipment operated by Create-A-Scape Landscaping.

In reviewing the complaint filed by Montana-Dakota Utilities and the response from Wesley Johnson, dba Create-A-Scape Landscaping, the committee determined the following:

- 1. Wesley Johnson, dba Create-A-Scape Landscaping, had conducted excavation activity with bobcat skid steer equipment in the 18" tolerance zone that by statute is restricted to hand exposing or non-invasive (vacuum excavation) equipment.
- 2. Wesley Johnson, dba Create-A-Scape Landscaping, confirmed that they were aware that a previous locate request had been called in by the homeowner which is probably the source of the markings associated with this underground facility.
- 3. While the parties involved provide different information about the depth of the damaged facility, the depth of the underground facility is not a relative factor that would allow for an excavator to utilize mechanical equipment within 18" of either side of the marking without previously exposing the marked facility.

Based on the information noted above, the Committee found that there was probable cause that Wesley Johnson, dba Create-A-Scape Landscaping, had violated SDCL 49-7A-8 without providing advance notice to the South Dakota One Call System.

ACCEPTANCE OR REJECTION BY PARTIES COMPLAINT OC04-003 (B)

THE ENFORCEMENT COMMITTEE OF THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD HAS PROPOSED A RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B).

IF BOTH PARTIES INVOLVED IN THIS COMPLAINT ACCEPT THE COMMITTEE RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B), THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD IS REQUIRED BY SDCL 49-7A-27 TO ACCEPT THIS AS FINAL RESOLUTION OF COMPLAINT OC04-003(B).

IF EITHER PARTY INVOLVED IN THIS COMPLAINT REJECT THE COMMITTEE RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B). THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD WILL SET UP A HEARING TO RESOLVE THE REJECTED RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B). THIS HEARING SHALL BE CONDUCTED AS A CONTESTED CASE UNDER CHAPTER 1-26. FOLLOWING THE HEARING, THE BOARD SHALL EITHER RENDER A DECISION DISMISSING THE COMPLAINT FOR INSUFFICIENT EVIDENCE OR SHALL IMPOSE A PENALTY PURSUANT TO THE PROVISIONS OF SDCL 49-7A-18 OR SDCL 49-7A-19.

TO ACCEPT OR REJECT THE RESOLUTION OF THE ALLEGE VIOLATION, YOU SHOULD COMPLETE THE FOLLOWING AND RETURN TO THE ADDRESS BELOW PRIOR TO THE CLOSE OF BUSINESS ON JUNE 18, 2004.

SOUTH DAKOTA ONE CALL NOTIFICATION BOARD 1012 N. SYCAMORE AVENUE SIOUX FALLS. SD 57110-5747

PURSUANT TO SDCL 15-6-55, FAILURE TO ANSWER THIS COMPLAINT RESOLUTION COULD RESULT IN A DEFAULT JUDGEMENT BEING ISSUED AGAINST YOU. APPROPRIATE LIENS AND OTHER LEGAL COLLECTION ACTIONS COULD RESULT.

OC04-003 (B)

VIOLATION OF	F SDCL -	49-7A-8 l	NOTIFICATION	OF PROP	POSED	EXCAVATION
--------------	----------	-----------	--------------	---------	-------	------------

I ACCEPT THE COMMITTEE RESOLUTION TO	COMPLAINT OC04-003(B) VIOLATION OF SDCL 49-7A-8
NOTIFICATION OF PROPOSED EXCAVATION.	

Signature
COMPLAINT OC04-003(B) VIOLATION OF SDCL 49-7A-8 AND REQUEST A HEARING TO RESOLVE THE VIOLATION

Signature

RECOMMENDATION

OC04-003 (B)

VIOLATION OF SOUTH DAKOTA SDCL 49-7A-8:


The Committee found that Wesley Johnson, dba Create-A-Scape Landscaping, had violated SDCL 49-7A-8 by failing to properly expose a marked underground utility line.

PROPOSED PENALTY FOR THIS VIOLATION AUTHORIZED UNDER SDCL 49-7A-18:

The committee recommends a penalty of one thousand dollars (\$1000.00) with four hundred dollars (\$400.00) suspended on the basis that Wesley Johnson, dba Create-A-Scape Landscaping, fully comply with SDCL 49-7A and ARSD Article 20:25 for twelve months following acceptance of resolution of Complaint OC04-003 (B).

COMMENTS:

The committee would recommend that Wesley Johnson, dba Create-A-Scape Landscaping, thoroughly review the Operations Manual for Facility Operators and Excavators that was enclosed with the complaint documents. The committee considers the action taken by Create-A-Scape Landscaping to be a serious violation of the SDCL 49-7A and puts the employees of Create-A-Scape Landscaping and the general public in an extremely unsafe position. This action would also constitute a violation of OSHA practices.



ACCEPTANCE OR REJECTION BY PARTIES COMPLAINT OC04-003 (B)

THE ENFORCEMENT COMMITTEE OF THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD HAS PROPOSED A RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B).

IF BOTH PARTIES INVOLVED IN THIS COMPLAINT ACCEPT THE COMMITTEE RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B), THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD IS REQUIRED BY SDCL 49-7A-27 TO ACCEPT THIS AS FINAL RESOLUTION OF COMPLAINT OC04-003(B).

IF EITHER PARTY INVOLVED IN THIS COMPLAINT REJECT THE COMMITTEE RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B). THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD WILL SET UP A HEARING TO RESOLVE THE REJECTED RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B). THIS HEARING SHALL BE CONDUCTED AS A CONTESTED CASE UNDER CHAPTER 1-26. FOLLOWING THE HEARING, THE BOARD SHALL EITHER RENDER A DECISION DISMISSING THE COMPLAINT FOR INSUFFICIENT EVIDENCE OR SHALL IMPOSE A PENALTY PURSUANT TO THE PROVISIONS OF SDCL 49-7A-18 OR SDCL 49-7A-19.

TO ACCEPT OR REJECT THE RESOLUTION OF THE ALLEGE VIOLATION, YOU SHOULD COMPLETE THE FOLLOWING AND RETURN TO THE ADDRESS BELOW PRIOR TO THE CLOSE OF BUSINESS ON JUNE 18, 2004.

SOUTH DAKOTA ONE CALL NOTIFICATION BOARD 1012 N. SYCAMORE AVENUE SIOUX FALLS, SD 57110-5747

PURSUANT TO SDCL 15-6-55, FAILURE TO ANSWER THIS COMPLAINT RESOLUTION COULD RESULT IN A DEFAULT JUDGEMENT BEING ISSUED AGAINST YOU. APPROPRIATE LIENS AND OTHER LEGAL COLLECTION ACTIONS COULD RESULT.

OC04-003 (B)

VIOLATION OF SDCL 49-7A-8 NOTIFICATION OF PROPOSED EXCAVATION

I ACCEPT THE COMMITTEE RESOLUTION TO COMPLAINT OC04-003(B) VIOLATION OF SDCL 49-7A-8 NOTIFICATION OF PROPOSED EXCAVATION.

Signature

Montana-Dakota Utilities Company

I REJECT THE COMMITTEE RESOLUTION TO COMPLAINT OC04-003(B) VIOLATION OF SDCL 49-7A-8 NOTIFICATION OF PROPOSED EXCAVATION AND REQUEST A HEARING TO RESOLVE THE VIOLATION ALLEGED IN COMPLAINT OC04-003(B).

Signature Montana-Dakota Utilities Company



ACCEPTANCE OR REJECTION BY PARTIES COMPLAINT OC04-003 (B)

THE ENFORCEMENT COMMITTEE OF THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD HAS PROPOSED A RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B).

IF BOTH PARTIES INVOLVED IN THIS COMPLAINT ACCEPT THE COMMITTEE RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B), THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD IS REQUIRED BY SDCL 49-7A-27 TO ACCEPT THIS AS FINAL RESOLUTION OF COMPLAINT OC04-003(B).

IF EITHER PARTY INVOLVED IN THIS COMPLAINT REJECT THE COMMITTEE RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B). THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD WILL SET UP A HEARING TO RESOLVE THE REJECTED RESOLUTION TO THE VIOLATION ALLEGED IN COMPLAINT NUMBER OC04-003(B). THIS HEARING SHALL BE CONDUCTED AS A CONTESTED CASE UNDER CHAPTER 1-26. FOLLOWING THE HEARING, THE BOARD SHALL EITHER RENDER A DECISION DISMISSING THE COMPLAINT FOR INSUFFICIENT EVIDENCE OR SHALL IMPOSE A PENALTY PURSUANT TO THE PROVISIONS OF SDCL 49-7A-18 OR SDCL 49-7A-19.

TO ACCEPT OR REJECT THE RESOLUTION OF THE ALLEGE VIOLATION, YOU SHOULD COMPLETE THE FOLLOWING AND RETURN TO THE ADDRESS BELOW PRIOR TO THE CLOSE OF BUSINESS ON JUNE 18, 2004.

SOUTH DAKOTA ONE CALL NOTIFICATION BOARD 1012 N. SYCAMORE AVENUE SIOUX FALLS, SD 57110-5747

PURSUANT TO SDCL 15-6-55, FAILURE TO ANSWER THIS COMPLAINT RESOLUTION COULD RESULT IN A DEFAULT JUDGEMENT BEING ISSUED AGAINST YOU. APPROPRIATE LIENS AND OTHER LEGAL COLLECTION ACTIONS COULD RESULT.

OC04-003 (B)

VIOLATION OF SDCL 49-7A-8 NOTIFICATION OF PROPOSED EXCAVATION

I ACCEPT THE COMMITTEE RESOLUTION TO COMPLAINT OC04-003(B) VIOLATION OF SDCL 49-7A-8 NOTIFICATION OF PROPOSED EXCAVATION.

Signature
Wesley Johnson, dba Create-A-Scape Landscaping

I REJECT THE COMMITTEE RESOLUTION TO COMPLAINT OC04-003(B) VIOLATION OF SDCL 49-7A-8 NOTIFICATION OF PROPOSED EXCAVATION AND REQUEST A HEARING TO RESOLVE THE VIOLATION ALLEGED IN COMPLAINT OC04-003(B).

Signature sless Johnson, dba Create-A-Scape Landscaping



BEFORE THE SOUTH DAKOTA ONE CALL NOTIFICATION BOARD

IN THE MATTER OF THE COMPLAINT FILED)	NOTICE OF HEARING
BY MONTANA-DAKOTA UTILITY CO.)	
AGAINST WESLEY JOHNSON REGARDING)	OC04-003
FAILURE TO PROVIDE NOTIFICATION OF)	
PROPOSED EXCAVATION AS REQUIRED BY)	
SDCL 49-7A-5 AND A FAILURE TO)	
PROPERLY EXPOSE A MARKED)	
UNDERGROUND UTILITY LINE AS REQUIRED)	
BY SDCL 49-7A-8		

On April 16, 2004, pursuant to SDCL 49-7A-17, the South Dakota One Call Board (Board) received a complaint filed by Montana-Dakota Utilities Co. of Rapid City, South Dakota (MDU), against Wesley Johnson, the owner of CreateAScape Landscaping, Rapid City, South Dakota (Johnson). According to the complaint, Johnson severed a natural gas distribution pipeline owned by MDU while excavating. The complaint alleged that Johnson: 1) failed to notify the one-call center before excavating in violation of SDCL 49-7A-5 and 2) failed to hand-dig and expose the natural gas facility in violation of SDCL 49-7A-8.

Pursuant to SDCL 49-7A-23 and 49-7A-24, a copy of the complaint was forwarded to Johnson via certified mail sent on April 27, 2004, advising him that he must file an answer in writing by May 21, 2004. Return receipt indicates that Johnson signed for the notice on April 29, 2004. On May 26, 2004, an answer was filed by Johnson. Pursuant to SDCL 49-7A-22, a five member panel (Panel) was appointed by Kevin Kouba, Chairman of the Board, for the purpose of determining whether there was probable cause to believe there had been a violation of any statute or rule of the Board. The Panel met on June 2, 2004. Pursuant to SDCL 49-7A-25, based on the complaint filed by MDU and the answer filed by Johnson, the Panel determined by unanimous vote that there had been violations of the statutes as alleged in the complaint.

With regard to the alleged violation of SDCL 49-7A-5, the Panel found that there was probable cause to conclude that Johnson had violated SDCL 49-7A-5 by commencing excavation without providing the required notice to the South Dakota One Call System. Pursuant to SDCL 49-7A-18 and 49-7A-26, the Panel recommended a penalty of five hundred dollars (\$500.00) with three hundred dollars (\$300.00) suspended on the basis that Johnson fully comply with SDCL Chapter 49-7A and ARSD Article 20:25 for twelve months following acceptance of resolution of Complaint OC04-003(A). With regard to the alleged violation of SDCL 49-7A-8, the Panel found that there was probable cause to conclude that Johnson had violated SDCL 49-7A-8 by failing to properly expose a marked underground utility line. Pursuant to SDCL 49-7A-18 and 49-7A-26, the Panel recommended a penalty of one thousand dollars (\$1000.00) with four hundred dollars (\$400.00) suspended on the basis that Johnson fully comply with SDCL Chapter 49-7A

and ARSD Article 20:25 for twelve months following acceptance of resolution of Complaint OC04-003(B).

Pursuant to SDCL 49-7A-27, a copy of the Panel's recommendations was sent to the parties. On June 8, 2004, the Board received an acceptance of the Panel's recommendations from MDU. On June 23, 2004, the Board received a rejection of the Panel's recommendations and a request for a hearing from Johnson.

The Board finds that it has jurisdiction over this matter pursuant to SDCL Chapter 49-7A, including 49-7A-2, 49-7A-4, 49-7A-5, 49-7A-8, 49-7A-10, 49-7A-12, 49-7A-17 through 49-7A-27, inclusive, and SDCL Chapter 1-26.

A hearing shall be held on September 15, 2004, at 1:00 p.m. (CDT) in Conference Room A at the Holiday Inn Express located at 110 East Stanley in Fort Pierre, SD. All persons testifying will be subject to cross-examination by the parties.

The issues at the hearing shall be: 1) whether Johnson violated SDCL 48-7A-5 by commencing excavation without providing advance notification to the one-call center; and 2) whether Johnson violated SDCL 49-7A-8 by failing to properly expose a marked underground utility line. Also at issue shall be whether penalties shall be imposed by the Board pursuant to SDCL 49-7A-18 and/or 49-7A-19, and, if so, what those penalties shall be.

The hearing shall be an adversary proceeding conducted pursuant to SDCL Chapter 1-26. All parties have the right to be present and to be represented by an attorney. These rights and other due process rights shall be forfeited if not exercised at the hearing. If you or your representative fail to appear at the time and place set for the hearing, the Final Decision will be based solely on the testimony and evidence provided, if any, during the hearing or a Final Decision may be issued by default pursuant to SDCL 1-26-20. After the hearing, the Board will consider all evidence and testimony that was presented at the hearing. The Board will then enter Findings of Fact, Conclusions of Law, and a Final Decision regarding this matter. As a result of the hearing, the Board shall determine whether Johnson, the owner of CreateAScape Landscaping, violated any statute or rule of the Board, and, if so, whether any penalties shall be imposed.

The Board's Final Decision may be appealed by the parties to the state Circuit Court and the state Supreme Court as provided by law.

Pursuant to the Americans with Disabilities Act, this hearing is being held in a physically accessible location. Please call 1-800-781-7474 at least 48 hours prior to the hearing if you have special needs so arrangements can be made to accommodate you.

Dated at Pierre, South Dakota, this ______ day of August, 2004.

Rolayne Ailts Wiest
Attorney for the One Call Board
500 East Capitol
Pierre, SD 57501
Telephone (605) 773-3201

CERTIFICATE OF SERVICE

I hereby certify that copies of Notice of Hearing were served on the following by mailing the same to them by United States Post Office First Class Mail, postage thereon prepaid, at the addresses shown below on this the 1976 day of August, 2004.

Mr. Jim Mann Montana-Dakota Utilities Co. P.O. Box 1060 Rapid City, SD 57709-1060

Mr. Wesley Johnson CreateAScape Landscaping 1323B Sydney Drive Rapid City, SD 57701 Mr. Thomas G. Fritz Attorney at Law Lynn, Jackson, Shultz & Lebrun, P.C. P. O. Box 8250 Rapid City, SD 57709-8250

Rolayne Ailts Wiest

Attorney for the One Call Board

U.S. Postal ServiceTM
CERTIFIED MAILTM RECEIPT
(Domestic Mail Only; No Insurance Coverage Provided)

For delivery information visit our website at www.usps.como

Postage \$

Certified Fee Return Reclept Fee (Endorsement Required)

Restricted Delivery Fee (Endorsement Required)

Total Postage & Fees \$

Sent To Street, Apt. No.; Matter Maps Tombours or PO Box No.

City, State y2/P+4

Output

Total Postage Apt. No.; Caste of Superage Tombours or PO Box No.

City, State y2/P+4

Output

Total Postage Apt. No.; Caste of Superage Tombours or PO Box No.

City, State y2/P+4

Output

Total Postage Apt. No.; Caste of Superage Tombours or PO Box No.

City, State y2/P+4

Output

Total Postage Apt. No.; Caste of Superage Tombours or PO Box No.

City, State y2/P+4

Output

Total Postage Apt. No.; Caste of Superage Tombours or PO Box No.

City, State y2/P+4

Output

Total Postage Apt. No.; Caste of Superage Tombours or PO Box No.

City, State y2/P+4

3

South Dakota One Call Notification Board



Larry Englerth

Executive Director

1012 North Sycamore Ave. Sioux Falls, SD 57110 Tel/Fax (605) 339-0529 Email: exedir@sdonecall.com

June 2, 2004

Jim Mann Montana-Dakota Utilities Co. P. O. Box 1060 Rapid City, SD 57701

Wes Johnson dba Create-A-Scape Landscaping 1323B Sidney Drive Rapid City, SD 57701

Under the authority granted by SDCL 49-7A-22, the Enforcement Committee of the South Dakota One Call Notification Board met on June 2, 2004, to determine whether there is probable cause to believe that a violation has occurred relative to Complaint OC04-003 (A) and Complaint OC04-003 (B) filed by Montana-Dakota Utilities Company against Wesley Johnson, dba Create-A-Scape Landscaping.

By a unanimous vote of the Enforcement Committee, the recommended resolutions to the alleged violations included in this complaint were determined to be as follows:

Complaint OC04-003 (A)

Alleged Violation of SDCL 49-7A-5 Notification of Proposed Excavation

The Enforcement Committee found that there was probable cause that Wesley Johnson, dba Create-A-Scape Landscaping, had violated SDCL 49-7A-5 by commencing without providing advance notification to the South Dakota One Call System.

The committee recommends a penalty of five-hundred dollars (\$500.00) with three-hundred dollars (\$300.00) suspended on the basis that Wesley Johnson, dba Create-A-Scape Landscaping, fully comply with SDCL 49-7A and ARSD Article 20:25 for twelve months following acceptance of resolution of Complaint OC04-003 (A).

Complaint OC04-003 (B)

Alleged Violation of SDCL 49-7A-8 Location of underground facilities - Marking
The Enforcement Committee found that there was probable cause that Wesley Johnson,
dba Create-A-Scape Landscaping, had violated SDCL 49-7A-8 by failing to maintain a
minimum horizontal clearance of 18 inches between the a marked underground facility
and the cutting edge of any mechanical equipment.

The committee recommends a penalty of one-thousand dollars (\$1000.00) with sixhundred dollars (\$600.00) suspended on the basis that Wesley Johnson, dba Create-A-Scape Landscaping, fully comply with SDCL 49-7A and ARSD Article 20:25 for twelve months following acceptance of resolution of Complaint OC04-003 (B).



The findings and recommendation of the Enforcement Committee are summarized on the attached form.

Under SDCL 49-7A-27 either party may accept the recommendation of the Enforcement Committee or reject the recommendation of the Enforcement Committee by requesting a formal hearing on either or both of the violations alleged in this complaint. Your decision should be reflected on the third page of the attachment. Please return the signed form prior to the close of business on June 18, 2004 to:

South Dakota One Call Notification Board 1012 N. Sycamore Avenue Sioux Falls, SD 57110-5747

If both parties accept this resolution, the South Dakota One Call Notification Board is required to accept the resolution and close this complaint. If either party rejects the Enforcement Committee resolution of either or both of the alleged violations, the South Dakota One Call Notification Board will conduct a hearing as a contested case under Chapter 1-26 to resolve the allegation (s) alleged in the rejected complaint(s). Following this hearing, the Board shall either render a decision dismissing the complaint for insufficient evidence or shall impose a penalty pursuant to SDCL 49-7A-18 or SDCL 49-7A-19...

Pursuant to SDCL 15-6-55, failure to answer this Complaint could result in a default judgment being issued against you. Appropriate liens and other legal collection actions could result. You are strongly urged to reply to this Notice in the time frame described above and to obtain the advise of counsel should you have any legal questions.


Sincerely,

Larry L. Englerth Executive Director



SOUTH DAKOTA PUBLIC UTILITIES COMMISSION

500 East Capitol Avenue Pierre, South Dakota 57501-5070 www.state.sd.us/puc



Transportation/Warehouse (605) 773-5280 (605) 773-3225 fax

> Consumer Hotline 1-800-332-1782



September 13, 2004

TO:

Rapid Delivery

FROM:

South Dakota Public Utilities Commission

RE:

In the Matter of the Complaint filed by Montana-Dakota

Utility Co. against Wesley Johnson - CreateAScape Landscaping,

Rapid City South Dakota

Docket OC04-003

Enclosed you will find a Notice of Hearing with reference to the above captioned matter. Would you please serve the Notice of Hearing upon Wesley Johnson whose address is 1323B Sydney Drive, Rapid City, South Dakota 57701. His cell number is 605-391-4141. The Executive Director of the One Call Board talked to him on his cell phone around 8:00 a.m. this morning and he thought he was at home at that time. The hearing is scheduled for September 15, 2004, so if at all possible we would appreciate it if you could get this served today.

Please send us your invoice for your services and we will promptly remit.

Could you please call me at 800-332-1782 once you have served this Notice on Mr. Johnson.

Thank you very much.

Very truly yours,

Delaine Kolbo Legal Secretary

Enc.